

SHOUT
SHARE
IT

DFN
2010

HARVARD UNIVERSITY.

LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY.

11590

Exchange.

Feb. 19, 1896 — Nov. 21, 1904.

11.590

BULLETIN

OF THE

SCIENTIFIC LABORATORIES

OF

DENISON UNIVERSITY.

EDITED BY
THOMAS L. WATSON,
Permanent Secretary Denison Scientific Association.

GENERAL INDEX TO THE FIRST TEN VOLUMES OF THE BULLETIN OF THE SCIENTIFIC LABORATORIES OF DENISON UNIVERSITY. FROM 1885 TO 1897 INCLUSIVE.

By W. W. STOCKBERGER

Granville, Ohio, August, 1904.

Stockberger, W. W.
General Index to the First Ten Volumes of the Bulletin of the Scientific Laboratories of Denison University. From 1885 to 1897 inclusive. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1–39.

General Index to the First Ten Volumes of the Bulletin Scientific Laboratories of Denison University. From 1885 to 1897 inclusive. By W. W. Stockberger. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1–39.

Bulletin Scientific Laboratories of Denison University, General Index to the First Ten Volumes of the. From 1885 to 1897 inclusive. By W. W. Stockberger. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1–39.

Denison University, General Index to the First Ten Volumes of the Bulletin of the Scientific Laboratories. From 1885 to 1897 inclusive. By W. W. Stockberger. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1–39.

GENERAL INDEX

TO THE

FIRST TEN VOLUMES

OF THE

BULLETIN

OF THE

Scientific Laboratories

OF

Denison University

From 1885 to 1897, inclusive.

By W. W. Stockberger.

All references are brought under one alphabet. Names of new species are followed by n. sp. Italicised page number indicates a reference to an illustration. The Roman characters I and II following the volume numerals 8 and 9 refer to the parts in which these volumes were issued, a distinction not observed in the other volumes since the pagination of each is consecutive. Figures not referred to in the text are indexed by number of volume and plate. The letter T preceding a numeral refers to the tables in Vol I.

Note: Plates VIII, XV, and XVI of Vol. II were issued as the last three plates in Vol III.

Plate XI, wanting in Vol. III, appears as plate of same number in Vol. IV.

INDEX.

A

Abutilon avicennae 7:24.
Acalypha virginica 7:75.
Acanthaceae 7:67.
Acanthocladiidæ 2:78.
Acer dasycarpum 7:27.
rubrum 7:27.
saccharinum 7:27.
" var. nigrum 7:27.
sp. 5:10.
spicatum 8–II:3.
Achillea millefolium 5:10, 7:52.
Acidaspis *1:101.*
ortoni n. sp. *2:90.*
Acmite 1:T15.
Acorus calamus 7:88, 8–II:5.
Actaea alba 7:14.
spicata var. rubra 7:14.
Actinolite 1:T15.
Actinomeris squarrosa 7:51.
Adam and Eve 7:81.
Adder's–tongue, yellow 7:85.
Adelphi, O., glacial lake near 9–I:23.
Adiantum pedatum 7:99.
Aesculus glabra 7:27.
Aggregates 1:T19.
Agrimonia eupatoria 7:34.
parviflora 7:34.
Agrimony, small flowered 7:34.
Agrostis alba 7:95.
" var. vulgaris 7:95.
perennans 7:95.
scabra 7:95.
Agropyrum repens 7:98.
Ailanthus glandulosus 7:26.
Akins. L. E. On the Determination of the Horizontal Component of the Earth's Magnetic Force 2:111.
Albite 1:T17.
Alder. Black 7:26.
Speckled 7:78.
Algae, List of, from Granville, O. 4:132.
Alismaceae 7:89.
Alisma plantago 7:89.
Allium canadense 7:84.
tricoccum 7:84.
Allorisma andrewsi 4:Pl. 11.
consanguinata n. sp. *4:29.*
convexa n. sp. *3:74.*
cooperi n. sp. *3:72.*
costata *2:33, 2:146.*
cuyahoga n. sp. *4:28.*
geinitzii *2:33.*
gilberti 2:33.
hannibalensis 2:11.
nobilis *3:71,* 4:28.
sp.? 2:Pl. 1.
subcuneata *2:34.*
ventricosa *3:73.*
winchelli *3:72.*
Almanadine garnet 1:T2.
Alnus incana 7:78.
Alona glacialis 6:68, 8–I:5.
intermedia 6:68.
porrecta 6:67, 8–I:5, 8–II:24.
quadrangula 1:37.
sanguinea 1:37.
Alopecurus geniculatus var. aristulatus 7:95.
Althaea officinalis 7:23, 8–II:3.
rosea 8–II:3.
Aluminum, detection of, in rocks 1:131.
Alum–root 7:36.
Alveolites expansa, *see* Ceramopora expansa 2:169.
Amarantaceae 7:71.
Amarantus albus 7:72.
chlorostachys 7:71.
retroflexus 7:71.
Amaryllidaceae 7:83.
Ambrosia artemisiaefolia 1:31, 7:50.
trifida 1:31, 7:50.
" var. integrifolia 7:50.
Amelanchier canadensis 7:36.
" var. oblongifolia 7:36.
Ampelopsis quinquefolia 7:27.
Amphicarpaea monoica 7:31.
pitcheri 7:31.
Anaphalis margaritacea 7:49.
Anacardiaceae 7:28.
Analcite 1:T3.
Anatase 1:T5.

Anatomy of Hesperiphona *1:15.*
Andalusite 1:T11.
Andesite 1:T17.
Andropogon scoparius 7:94.
Anemone nemorosa 7:11.
" var, quinquefolia 7:11.
pennsylvanica 7:11.
virginica 7:11.
Anemonella thalictroides 7:12.
Angelica atropurpurea 7:40.
hirsuta 7:40.
Anomite 1:T12.
Anomites cuspidatus, *see* Syringothyris cuspidatus 3:41.
Anonaceae 7:14.
Anorthite 1:T18.
Antennaria plantaginifolia 7:49.
Anthemis arvensis 7:52.
cotula 7:52.
Anthophyllite 1:T10.
Anuraea 1:58.
cochlearis *6:66.*
longispina 1:61.
sp. 1:58.
tecta 6:66.
Anychia capillacea 7:71.
Apatite 1:T8.
Aphyllon uniflorum 7:66, 8–II:5.
Apios tuberosa 7:51.
Aplectrum hiemale 7:81.
Apocynaceae 7:58.
Apocynum cannabinum 7:58.
Appalachian axis 9–I:2.
Apple, common 7:35.
Apple of Peru, 7:63.
Aquilegia canadensis 7:13:
Arabis canadensis 7:17.
confinis 7:17.
dentata 7:17.
hirsuta 7:17.
laevigata 7:17.
lyrata 7:17.
perfoliata 7:17.
Araceae 7:88.
Aragonite 1:T19.
Araliaceae 7:42.
Aralia hispida 7:42.
nudicaulis 7:42.
quinquefolia 7:42.
racemosa 7:42.
Arbutus 7:56.
Arca ornata n. sp. *3:83.*
Arctium lappa 7:53.
Arctomys monax. Bladder cells in trigeminus of *5:61.*
Brain structure of compared with Didelphys *5:76.*
Central nervous system of *5:35.*
Cerebellum of *5:63.*
External form and measurements of brain *5:51.*
Mesencephalon of *5:67.*
Motor nuclei of trigeminus of *5:62.*
Structure of cord and medulla *5:53.*
Arenaria serpyllifolia 7:21.
Arethusa bulbosa 7:81.
Argemone mexicana 7:16.
Arionellus 1:114.
———? *1:114.*
sp. *See* A. pulchellus 2:99.
Arisaema dracontium 7:88.
triphyllum 7:88.
Aristolochiaceae 7:74.
Aristolochia clematitis 1:34.
serpentaria 7:74.
sipho *1:27,* 1:33.
Arrow-wood 7:44.
Artichoke 7:51.
Asarum canadense 7:74.
Asclepiadaceae 7:58.
Asclepias cornuti 7:59.
incarnata 7:59.
" var. pulchra 7:59.
phytolaccoides 7:59.
quadrifolia 7:59.
sullivantii 7:59.
tuberosa 7:58.
Ash, Black 7:58.
Blue 7:58.
Red 7:58.
White 7:58.
Ashland Co., O. Geological section 4:102.
Ashland, Ky. Abandoned channel near 9–II:18.
Asimina triloba 7:14.
Asparagus officinalis 7:85.
Aspen, American 7:80.
Aspidium acrostichoides 7:100.
" var. incisum 7:100.
cristatum 8–II:6.
goldianum 7:100, 8–II:6.
marginale 7:100.
noveboracense 7:100.
spinulosum 7:100.
thelypteris 7:100.
Asplanchnaea 1:60.
Asplanchna brightwelii 1:61.
cincinnatiensis n. sp. *6:59.*
magnificus n. sp. *1:60.*
myrmeleo 1:60.
sp. ? 1:61.

Asplenium angustifolium 7:99.
ebeneum 7:99.
felix-foemina 7:100.
pinnatifidum 7:99.
thelypteroides 7:100.
trichomanes 7:99.
Asprella hystrix 7:99.
Astartella newberryi *2:39.*
varica *2:39.*
vera (??) 2:39.
Aster cordifolius 7:48.
corymbosus 7:48.
diffusus 7:48.
" var. hirsuticaulis 7:48.
ericoides 7:48.
" var. villosus 7:48.
macrophyllus 7:48.
novae angliae 7:48.
novi belgii 7:48.
paniculatus 7:48.
patens 7:48.
prenanthoides 7:48.
punicens 7:49.
" var. laevicaulis 7:49.
sagittifolius 7:48.
salicifolius 7:48.
shortii 7:48.
tradescanti 7:48.
undulatus 7:48.
white-topped 7:47.
Athyris ashlandensis n. sp. *4:24.*
lamellosa *3:49.*
ohioensis *3:49.*
sp. 3-Pl. 7, Pl. 12.
subtilata *2:44.*
Atriplex patula 1:34.
Atropa belladonna 1:29.
Atrypa nodostriata *1:90,* 1:78.
reticularis ? ? *3:41,* 1:75, 4-Pl. 9.
Atyris sp. 4-Pl. 10.
Augite 1:T14.
Avicula longa 2:36-37.
ohioense *2:145.*
? recta n. sp. *4:115*
scutella *4:30.*
subspatulata n. sp. *4:30.*
Avena fatua 7:96.
Aviculopinna americana *2:38.*
Aviculopecten cancellatus n. sp. 3:54.
cooperi n. sp. *3:51.*
coxanus *2:26.*
granvillensis n. sp. *3:50.*
hertzeri *2:25.*
newarkensis *3:52.*
occidentalis *2:26.*
(cf. oweni) *3:52.*
perelongatus n. sp. *3:50.*
scalaris *2:26.*
sorer n. sp. *2:27.*
sp. ? *2:25-27,* 3-Pl. 7, 4-Pl. 10.
sublobatus 2:25.
winchelli 3-Pl. 1, Pl. 6.

B

Bainbridge, O. Preglacial valley near 9-I:25.
Baldwin, C. J. The Personal Elements in Instruction 4:147.
Balm, common 7:68.
Balm of Gilead 7:80.
Baneberry, Red 7:14.
White, 7:14.
Barbarea vulgaris 1:31, 7:18.
Barberry 7:15.
Barney, Eliam E. 10:65-69.
Barney, Eugene J. 10:61-63-64.
Barnyard grass 7:94.
Bartonia tenella 7:59.
Basite 1:T10.
Bass-wood 7:24.
Bathyurus *1:103.* *See* Proetus determinatus 2:91.
Batteries. Instrument for rapidly changing cell-arrangement of 5:16.
Bawden, H. H. 10:19.
Bdelloida 6:58.
Beaver poison 7:41.
Bedford shale 4:108.
exposed at Central College, O. 5:25.
fossils from 4:109.
Bedstraw. Rough 7:46.
Small 7:45.
Beech. American 7:79.
Beech drops 7:66.
Beech Flats. Preglacial channel near 9-I:25.
Beggar's lice 7:61.
Beggar-ticks 7:51.
Bellerophon 2:17.
carbonarius *2:19.*
(cf. crassus) *2:20.*
cyrtolites *3:88.*
decussatus *2:19.*
fiscello-striatus n. sp. *1:99.*
galericulatus *3:89.*
helena 4:Pl. 9.
inspeciosus 2:18.
marcouianus *2:20.*
montfortianus *2:19.*

nodocarinatus *2:18.*
percarinatus *2:17.*
perelegans *3:90.*
pulchellus 2:19.
sp. *3:90.*
stramineus 2:19.
sub-cordiformis n. sp. *2:18.*
Bellflower 7:56.
Bent grass 7:95.
Beomyces roseus 9–I:14.
Berberidaceae 7:15.
Berberis vulgaris 7:15.
Berea grit 4:107.
shale of Ohio 4:107.
shale exposed at Moot's Run, O. 5:26.
Bergamont. Wild 7:69.
Bidens bipinnata 7:52.
cernua 7:52.
connata 7:51.
chrysanthemoides 7:52.
frondosa 7:51.
Bignoniaceae 7:66.
Big Sandy Valley. Preglacial drainage in 9–II:26.
Bindweed. Black 7:74.
Biological notes on Fiber, Geomys and Erethizon 6:15.
Biotite 1:T8.
Bishop's Leaf 7:36.
Cap 7:36.
Bittersweet 7:63.
Bittersweet. Climbing 7:26.
Blackberry. High 7:33.
Low 7:33.
Black Gum 7:43.
Black Hand. Conglomerate of 9–I:9.
Black Hand rock 8–II:40.
Black Haw 7:44.
Medick 7:29.
Snakeroot 7:13.
Sugar Maple 7:27.
Bladder cells of the trigeminis of Arctomys 5:61.
Bladder Ketmia 7:24.
Bladder-nut, American 7:28.
Bladderwort 7:66.
Blazing Star 7:86.
Blephilia ciliata 7:69.
hirsuta 7:69.
Blood Root 7:16.
Blue Bells 7:61.
Blueberry. Low 7:56.
Swamp 7:56.
Bluebottle 7:56.
Blue clay of the Clinton 1:68.
Blue Cohosh 7:15.
Blue-eyed Grass 7:83.
Blue-eyed Mary 7:64.
Blue Flag 7:83.
Blue Grass 7:97.
Blue Weed 7:62.
Boehmeria cylindrica 7:77.
Boneset 7:46.
Borraginaceae 7:61.
Bosmina cornuta 8–I:4.
atlantaensis n. sp. 8–II:23.
Botanical laboratory. Notes from 8–II:7.
Botany. Dept. of at Denison Univ. 10:87.
Botrychium ternatum var. intermedium 7:101.
virginianum 7:101.
Boughton, W. H. 10:15 — Biog. *36.*
Boulder clay near Beech Flats, O. 9–I:28.
Bourneville, O. Preglacial channel near 9–I:19.
Box Elder 7:28.
Brachionus bakeri 1:55, *6:64.*
intermedius 1:56.
militaris *1:56*, 6:65.
pala 6:63.
tuburculus n. sp. *6:65.*
urceolaris 6:64.
Brachiopoda 2:105.
in Clinton group of Ohio 1:78.
of Flint Ridge, Ohio 2:43.
of Licking Co., Ohio. Key to 4:11.
Brachyelytrum aristatum 7:95.
Brachymetopus 2:53.
discors 2:57.
hibernicus 2:55–57.
lodiensis *2:55.*
mc coyi *2:55.*
ouralicus *2:55.*
Brain of Arctomys, external form and measurements of 5:51.
Brain. Comparative structure of Arctomys and Didelphys 5:76.
Brain of Erethizon 6:26.
of Geomys 6:26.
method of hardening 6:27.
of Opossum 6:75.
of rabbit. Summary of Streda's work on 5:41.
of rat. Summary of Streda's work on 5:41.
Rodent. General description of 5:40.
Studies in topography of rodent 6:26.
Brake. Common 7:09.
Brassica nigra 1:31, 7:10.
sinapistrum 7:10.
Bremen, O., drainage near 9–II:35.

Bromus ciliatus 7:98.
" var. purgans 7:98.
mollis 7:98.
secalinus 7:98.
tectorum 7:98.
Bronzite 1:T10.
Brooklime. American 7:65.
Brookweed 7:57.
Brown's Quarry. Clinton group of 3:10.
Brunella vulgaris 7:70.
Bryozoa of Flint Ridge, O. 2:71.
of Clinton group of O. 2:149.
of Waverly group of O. 4:63.
Bucania exigua n. sp. *1:99.*
trilobata *2:103.*
Buckeye. Ohio 7:27.
Buckwheat, 7:74.
Buds. Superposed 1:25.
Buellia parasema 9–I:14.
petraea 9–I:14.
Bugle Weed 7:68.
Bulletin Scientific Laboratories of Denison University. Contents 10:41.
Editor 10:19.
Exchange list 5:4, 10:41.
Founding of 10:16.
Bullrush 7:91.
Bunch–berry 7:43.
Bur–cucumber 7:39.
Burdock 7:53.
Burlington group 4:99.
Bur Oak 7:78.
Bur Marigold 7:52.
Burning–bush 7:26.
Buttercups 7:13.
Butter–and–eggs 7:64.
Butterfly–weed 7:58.
Butter–nut 7:77.
Butter–weed 7:53.
Bytownite 1:T18.

C

Cacalia atriplicifolia 7:53.
reniformis 7:53.
Calanidae 6:69.
Calcedony 1:T19.
Calcite 1:T7.
Calcium. Crystal system of 1:130.
Fluo–silicate of 1:130.
California Valley, O. Preglacial drainage in 9–II:27.
Callopora magnopora n. sp. *2:173.*
ohioensis n. sp. *2:174.*
punctata 4:91. *See* Leioclema punctatum.
Callosum of Geomys and Erethizon 6:38.
of Opossum 6:81.
Calopogon pulchellus 7:81.
Caltha palustris 7:13.
Calymene 1:109.
——— *1:109.*
blumenbachii *? 1:110. See* C. vogdesi.
clintoni *see* C. vogdesi.
niagaraensis 1:109.
vogdesi n. sp. *2:95.*
Camassia fraseri 7:84.
Cambrian formation 9–I:4.
Camp Corwin, O. Clinton exposures of 3:11.
Campanulaceae 7:55.
Campanula americana 7:56.
aparanoides 7:56, 8–II:4.
Camptosorus rhizophyllus 7:100.
Camtocercus macrurus 8–I:4.
Canada thistle 7:54.
Canalis centralis of Arctomys 5:56.
Canary–grass 7:95.
Cancer–root 7:66.
Cancrinite 1:T7.
Cannabis sativa 7:76.
Candona acuminator 8–II:19.
crogmaniana n. sp. 8–II:20.
delawarensis n. sp. 8–II:21.
Canthocamptus 1:37.
Caprifoliaceae 7:43.
Capsella bursa–pastoris 5:10, 7:19.
Caraway 7:41.
Carum carui 7:41.
Carboniferous trilobite 2:51.
Cardamine hirsuta 7:17.
rhomboidea 7:17.
" var. purpurea 7:17.
Cardinal flower 7:55.
Cardiopsis ovata *4:38*, Fig. 5 *not* Fig. 6.
Carex bromoides 7:93.
cephalophora 7:93.
divisii 7:92.
echinata var. cephalantha 8–II:5.
gracillima 7:92.
granularis 7:92.
grayii 7:91.
hystricina 7:92.
interior var. capillaceae 8–II:5.
intumescens 7:91.
laxiflora 7:92.
" var. patulifolia 7:92.

laxifolia var. styloflexa 7:93, 8–II:5.
" var. varians 7:92.
lupulina 7:91.
" var. pedunculata 8–II:5.
lurida 7:92.
oligocarpa 7:92.
pennsylvanica 7:93.
plantaginea 7:93.
platyphylla 7:93.
prasina 7:92.
pseudo–cyperus 7:92.
" var. americana 7:92.
rosea 7:93.
shortiana 7:92.
sparganioides 7:93.
squarrosa 7:92.
stenolepis 7:92.
stipata 7:93.
tribuloides 7:93.
trichocarpa 7:92.
utriculata 7:92.
varia 7:93.
virescens 7:92.
vulpinoides 7:93.
Carpet weed 7:39.
Carpinus caroliniana 7:78.
Carrion flower 7:84.
Carya alba 1:29, 7:77.
amare 1:30.
microcarpa 1:30.
olivaeformis *1:30.*
porcina 1:30, 7:78.
sulcata 1:30, 7:78.
tomentosa 1:30.
Caryophyllaceae 7:20.
Cassia chamaecrista 1:32, 7:31.
marilandica 7:31.
nictitans 7:31.
Castanea sativa var. americana 7:79.
Catalpa bignonioides 7:67.
Catalogue of the Phanerogams and Ferns of Licking Co., O. 7:1.
Catch fly 7:21.
Catgut 7:29.
Cathypna leontina n. sp. *6:61.*
ohioensis 6:61. *See* Distyla ohioensis *1:54.*
Cathophyllum australl n. sp. *3:128.*
Catnip 7:69.
Catskill region 9–I:5.
Cat–tail 7:88.
Caulophyllum thalictroides 7:15.
Ceanothus americanus 7:26, 8–II:3.
Cedar. Red 7:80.
Celandine 7:16.
Celastraceae 7:26.
Celastrus scandens 7:26.
Cell arrangement. Instrument for rapidly changing 5:16.
Cell arranger 8–II:29.
Celtis occidentalis 7:76.
Cenchrus tribuloides 7:94.
Centaurea cyanus 7:54.
Central nervous system of Arctomys 5:35.
of rodents 5:35.
Centronella julia *3:49.*
Cephalopoda of Flint Ridge, O. 2:17.
Cephalanthus occidentalis 7:45.
Ceramopora expansa *2:169.*
Chrysosplenium americanum 7:36.
Chydorus sphaericus 6:69, 8–I:6, 8–II:25.
Cichorium intybus 8–II:4.
Cicuta bulbifera 8:41.
maculata 7:41.
Cimicifuga racemosa 7:13.
Cincinnati group 1:67–69.
geanticline 9–I:4.
Cinereum of Erethizon 6:29.
Cinna arundianaceae 7:96.
Cinnamon Fern 7:101.
Circaea lutetiana 7:39.
Cladocera 1:37–39.
Cladocera, Copepoda, Ostracoda and Rotifera of Cin., O. Notes on 6:57.
Cladocera of Cin., O. Notes on 8–I:3.
of Georgia. Notes on 8–II:22.
Cladonia caespiticia 9–I:14.
cristatella 9–I:14.
delicata 9–I:14.
fimbriata 9–I:14.
furcata var. crispata 9–I:14.
gracilis var. verticillata 9–I:14.
mitrula 9–I:13.
pyxidata 9–I:14.
rangiferma var. alpestris 9–I:14.
ravenelii 9–I:14.
squamosa 9–I:14.
symplycarpa 9–I:11, 9–I:13.
uncialis 9–I:14.
Clathropora clintonensis *2:154.*
frondosa *2:154.*
Clava of Erethizon 6:30.
Clay. Boulder 9–I:28.
Claytonia virginica 5:10, 7:22.
Cleavers 7:45.
Clematis viorna 7:11.
virginiana 7:11.
Cleveland shale 4:110.
Clinochlore 1:T12.

Clinopistha radiata *2:34.*
Clinton group of Ohio 1:65–70–120, 2:89–149, 3:3.
stratigraphy of 3:7.
exposure of 3:10.
Clinton limestone, analysis of 3:5.
Closterium acerosum 4:132.
dianae 2:116.
lineatum 2:116.
moniliferum 2:116.
parvulum 2:116.
strigosum 2:116.
Clover, Alsike 7:29.
Buffalo 7:28.
Red 7:28.
White 7:29.
Cnicus altissimus 7:53.
var. discolor 7:53.
arvensis 7:54.
lanceolatus 7:53.
muticus 7:53.
Coccothraustes 1:5.
Cocklebur 7:50.
Cockspur Thorn 7:36.
Colby Dr. H. F. 10:62–70.
Cole, A. D. An Instrument for Rapidly Changing the Cell Arrangement of large Batteries 5:16.
A simple Chronograph 5:19.
A Scale Divider 5:20.
An Electrical Couple for Projection 5:20.
Electricity as a Laboratory Servant 8–II:27.
Electrical Waves in long parallel Wires 9–II:8.
biography of 10:*29*–39.
personal mention 10:15.
Collinsia verna 7:64.
Collinsonia canadense 7:68.
Columbine, wild 7:13.
Comandra umbellata 7:75:, 8–II:5.
Comfrey, wild 7:61.
Commelinaceae 7:87.
Commissure, Anterior, of Geomys and Erethizon 6:38.
Hippocampal, of opossum 6:81.
Component, Horizontal, of Earth's magnetic Force 2:111.
Compositae 7:46.
Conferva rhyphophila 4:132.
Conglomerate Alegrippus 9–I:7.
Carboniferous 9–I:9.
Jasper 9–I:28.
Panama 9–I:7.
Salamanca 9–I:8.
Sub-olean 9–I:9.
of Cape Choyye 2:139.
of Waverly group 5:*27*–29.
Coniferae 7:80.
Conium maculatum 7:41.
Conocardium alternistriatum n. sp. 4:42.
pulchellum *3:97.*
Conochilus 1:44.
Conopholis americana 7:66.
Contact phenomena in S. C. Lithological notes on 4:5.
Contribution to the knowledge of the Preglacial Drainage of Ohio 8–II:35, 9–I:15–25.
Conularia byblis 3:95.
gracillis n. sp. *4:48.*
micronema *3:94, 4:49.*
newberryi *2:146, 3:93,* 4:Pl.8–10.
victa *4:47.*
Convolvulaceae 7:62.
Convolvulus sepium var. americanus 7:62.
Convolvulus sepium var. repens 7:62.
Cooper, W. F. A Tabulated List of Fossils of Ohio Waverly 4:123.
Fossils known to occur in the Waverly of Ohio. Additions 5:33.
The Waverly group 5:24.
Copepoda, Cladocera, Ostracoda and Rotifera of Cin., O. Notes on 6:57.
Copperas Mountain 9–I:18.
Coral-berry 7:44.
Corallorhiza odontorrhiza 7:81.
multiflora 7:81.
Corals of Flint Ridge, O. 2:50.
Cord and medulla of Arctomys, structure of 5:54.
Cordierite 1:T11.
Coreopsis aristosa 7:51.
discoidea 7:51.
tinctoria 1:34.
trichosperma 7:51.
tripteris 1:34, 7:51.
Cork Elm 7:76.
Cornaceae 7:43.
Corn Chamomile 7:52.
Cockle 7:21.
Gromwell 7:62.
Speedwell 7:65.
Cornel 7:43.
Cornus alternifolia 7:43.
asperifolia 7:43.
canadensis 7:43.
florida 7:43.
paniculata 7:43.

sericea 7:43.
stolonifera 1:31; Pl. 12, 7:43.
Corpora strata of Didelphys 5:77.
of rabbit and rat 5:45.
Corpse Plant 7:57.
Corundum 1:T8.
Corydalis flavula 7:16.
Corylus americana 7:78.
Cosmarium biretum 2:116.
botrytis 2:115.
brebissonia 2:115.
broomei 2:116.
contractum 2:115.
intermedium 2:115.
latum 2:115.
orbiculatum 2:116.
ralfsii 2:116.
seelyanum 2:115.
tinctum 2:116.
Cotton-wood 7:80.
Couch grass 7:98.
Couple, electric, for projection 5:20.
Couseranite 1:T5.
Cowbane 7:40–41.
Cow parsnip 7–40.
Cowslip, virginian 7:61.
Crab-apple 7:35.
Crab-grass 7:93.
Crataegus coccinea 7:35.
" var. macracantha 7:35.
" var. mollis 7:35.
crus-galli 7:35.
punctata 7:35.
Cranberry 7:56.
Cranesbill, wild 7:24.
Crania hamiltonae *3:31.*
Cranial nerves, origin of in rabbit and rat 5:42.
Cranial nerves of Erethizon 6:30.
of Arctomys and Erethizon 6:42.
Crassulaceae 7:37.
Crenipecten cancellatus *4:34.*
crenistriatus *4:34.*
foerstii n. sp. *2:28.*
granvillensis 3–Pl. 12.
senilis n. sp. *3:54.*
sub-cardiformis n. sp. *3:53.*
winchelli 2:11–28, 3–Pl. 10.
Crepdocercus setiger, *see* Dunhevidia 8–I:5.
Cress, Bitter 7:17.
Lake 7:18.
Marsh 7:18.
Water 7:18.
Cross-fertilization of Lobelia syphilitica 3:111.
Crow-foot 7:12.
Cruciferae 7:16.
Crura cerebri of Erethizon 6:29.
Crus olfactorius of opossum 6:79.
Crushing effect of glacial ice sheet 6:12.
Crustaceae of Cincinnati 6:66.
of Clinton Group of O. 1:100, 2:89.
of Flint Ridge, O. 2:17.
of Licking Co., O. 4:49.
Metamorphosis and morphology of 1:16.
Mud-inhabiting *1:37.*
Cryptonella eudora *3:48.*
Cryptotaenia canadensis 7:41.
Crystals, optical uniaxial 1:131.
Ctenodonta houghtoni *3:78, 4:44.*
iowensis *3:78.*
stella *3:78.*
Cucumber Tree 7:14.
Cucurbitacea 7:39.
Cudweed 7:49.
Culver's root 7:65.
Cup-plant 7:50.
Cupuliferae 7:78.
Currant, Black 7:37.
Curriculum (Denison University '97) 10:20.
Cuscuta glomerata 7:63.
gronovii 7:62.
tenuiflora 8–II:4.
Cuyahoga shale in Ohio 4:103.
near Burbank, O. 5:30.
Cyanite 1:T17.
Cyathaxonia 2:86.
prolifera *2:86,* Pl. 7 not Pl. 8.
Cyathophyllum australe n. sp. *3:128.*
bolonicnse *3:130.*
patula n. sp. *3:129.*
Cyclocypris laevis 8–II:14.
Cyclonema 1:94.
bilix 1:76–94.
strigillata 3:Pl. 12.
leavenworthana *3:86.*
Cyclops ater 6:69.
crassicornis, *see* C. fimbriatus.
fimbriatus 6:71.
fluviatilis 6:70.
parcus 6:69.
phaleratus 6:70.
serrulatus 6:70.
signatus, *see* tenuicornis.
tenuicornis 6:70.
viridis 6:69.

Cyclora 1:96.
alta n. sp. *1:96.*
Cymbellae gastroides 3:115.
Cynodon dactylon 7:96.
Cynoglossum officinale 7:61.
virginicum 7:61.
Cynthiana, O. Glacial drift near 9-I:26.
Cyperaceae 7:90.
Cyperus aristatus 7:90.
diandrus 7:90.
esculentus 7:90.
flavescens 7:90.
strigosus 7:90.
Cypria exculpta 8-II:13.
inequivalva n. sp. 8-I:6, II:14.
Cypricardina 2:35.
(?) carbonaria *2:35.*
Cypricardinia scitula n. sp. *4:38.*
Cypricardites 1:93.
ferrugineum 1:93.
Cypridopsis vidua 6:73, 8-II:19.
Cypripedium acaule 7:83.
parviflorum 7:82.
pubescens 7:82.
spectabile 7:83.
Cypris burlingtonensis n. sp. 8-II:17.
crenata n. sp. 8-I:9.
fuscata 8-II:16.
herricki n. sp. *6:71.*
" late larval history of 8-II:11.
incongruens 8-I:8.
laevis, *see* Cyclocypris laevis.
ovum, " " "
sp. (?) 6:71.
striolata, *see* Cypria exculpta.
virens 6:71.
Cyrtia cuspidata, *see* Syringothyris cuspidatus 3:41.
simplex, *see* Syringothyris cuspidatus 3:41.
Cyrtina acutirostis 4:Pl. 11.
sp. *3:47.*
Cystodictya angustata n. sp. *4:82.*
carbonaria *2:74.*
lineata 2:75.
occellata 2:75.
simulans n. sp. *4:81.*
sp. undet 4:83.
zigzag n. sp. *4:81.*
Cystodictyonidae 2:165.
Cystopteris bulbifera 7:100, 8-II:5.
fragilis 7:100.
Cythere ohioensis n. sp. *4:60.*

D

Dactylis glomerata 7:97.
Daisy, Ox-eye 7:52.
Dalmanites (?) 2:53.
cuyahogae *2:53.*
emmrich 1:116.
verrucosus 1:101.
vigilans 1:101.
werthneri 1:68, 76, 101, 116, 2:101.
Dandelion 7:54.
Danthonia spicata 7:96.
Daphnia 1:21.
pulex 6:67, 8-I:4.
Darnel 7:98.
Datura stramonium 7:63.
tatula 7:63.
Daucus carota 7:40.
Day-lily 7:84.
Dayton, O., Quarries of 1:66.
Rock exposure near 1:66-68.
Decodon verticillatus 7:38.
Deerberry 7:56.
Delessite 1:T19.
Delphinium 1:27.
consolida 1:32.
exaltatum 7:13.
tricorne 7:13.
Deming, J. L. List of diatoms from Granville, O. 3:114.
Denison Scientific Association 10:37.
Denison University, Curriculum of 10:20.
Department of Physics and Chemistry 10:84.
Department of Geology and Botany 10:87.
Department of Zoology 10:88.
Historical sketch 10:7.
Museum 10:90.
Scientific faculty *10:29.*
" publications 10:41.
Dentalium sp. *2:146.*
granvillensis n. sp. 3:92.
Dentaria diphylla 7:16.
laciniata 7:17.
Desmodium acuminatum 7:30.
canadense 7:30.
canescens 7:30.
dillenii 7:30.
laevigatum 7:30.
nudiflorum 7:30.
paniculatum 7:30.
pauciflorum 8-II:4.

rigidum 7:30.
rotundifolium 7:30.
swartzii 2:116.
Dew-berry 7:33.
Dexiobia, Genus pars., *see* Oracardia Gen. n. 4:41.
whitei, *see* Cardiopsis ovata *4:38.*
Diabase of Dog Run 2:127.
porphyrite of Dog Run 2:134, 135.
Diaclasite 1:T10.
Diallage 1:T14.
Diaptomus 1:20.
pallidua 6:69.
Dianthera americana 1:32, 7:67.
Dianthus armeria 7:20, 8–II:3.
barbatus 7:21.
Diarrhena americana 7:97.
Diatoma meridian-curculare 3:115.
Diatoms, list of from Granville, O. 3:114.
Dicentra canadensis 7:16.
cucullaria *1:30,* 7:16.
Dichroite 1:T11.
Dictyonema pertenue n. sp. *2:107.*
scalariforme n. sp. *2:108.*
Didelphys, comparative brain structure 5:76.
corpora striata of 5:77.
fore brain of 5:40.
thalamus of 5:77.
virginica, The cerebrum and olfactories of 6:75.
Diencephalon of Erethizon 6:29.
Geomys 6:34.
Diervilla trifida 7:44.
Dinocharis 1:51.
pocillum *1:51.*
Diopside 1:T14.
Dioscoreaceae 7:83.
Dioscorea villosa 7:83.
Diospyros virginiana 7:58.
Dipsaceae 7:46.
Dipsacus sylvestris 7:46.
Dipyre 1:T5.
Dirca palustris 7:75.
Discina convexa *2:144.*
meekiana, *see* nitida.
nitida *2:145.*
Discopleura capillacea 7:41.
Disporum lanuginosum 7:85.
Disthene 1:T17.
Distyla 1:53.
gissensis 1:53.
ludwigii 1:53.
ohioensis n. sp. 1:54.
" *see* Cathypna ohioensis 6:61.
minnesotensis n. sp. 1:53.
Diurella 1:49.
insignis n. sp. *1:50.*
tigris 1:49, 50.
" *see* Rattulus tigris 6:60.
Dixon, Mrs. J. E. Germination of Phoenix dactylifera 5:8.
Dociduum trabecula 2:116.
Dock, Bitter 7:72.
Curled 7:72.
Pale 7:72.
Swamp 7:72.
Dockmackie 7:44.
Dog-fennel 7:52.
Dog River, Rocks at mouth of 2:125.
Dog Rose 7:35.
Dog's-tooth violet 7:85.
Dog-wood 7:28, 43.
Dolomite 1:T7.
Draba verna 5:10, 7:18.
Dragon-root 7:88.
Drainage features of southern Ohio, some preglacial 9–II:22.
Drainage in southern Ohio, changes in 9–II:18.
of Muskingum and Licking Rivers, causes which produced changes in 8–II:47.
of Ohio, preglacial 8–II:35.
" " relation of to rock structure 8–II:61.
relation of the preglacial Muskingum 8–II:51.
Drawing patterns on wax sheets 9–II:4.
Drawings, cutting out sectional 9–II:5.
Drift, depth of, at Thurston and Basil, O. 8–II:47.
near Cynthiana, O. 9–I:26.
Droseraceae 7:37.
Drosera rotundifolia 7:37.
Dulichium spathaceum 7:90.
Dunhevidia setiger 8–I:5.
Dutchman's breeches 7:16.
Dyer's-weed 7:19.
Dyke near Dog River 2:142.
Pacolet Mills, S. C. 4:5.
Dynamo, storage battery outfit 8–II:33.

E

Early Saxifrage 7:36.
Earth, determination of horizontal component of magnetic force 2:111
Eatonia pennsylvanica 7:96.
Ebenaceae 7:58.
Echinocystis lobata 7:39.
Echinospermum lappula 7:61.
virginicum 7:61.
Echium vulgare 7:62.
Eclipta alba 7:50.
Editorial statement 10:3
Edmondia (cf. aspinwallensis) 2:38.
burlingtonensis *3:77.*
depressa *3:76.*
reflexa 2:30, *1:45.*
sulcifera n. sp. *4:30.*
Educational Briefs 4:134.
Eel-grass 7:80.
Eglantine 7:35.
Eichwaldia 1:91.
reticulata 1:75, 78, *91.*
Elaeolite 1:T7.
Elder 7:43.
Elecampane 7:49.
Electrical couple for projection 5:20.
energy distribution in wires 9–II:15.
oscillations 9–II:8, II:10.
wave system, effect of fixed bridge on 9–II:11.
waves in long parallel wires 9–II:8.
Electricity as a laboratory servant 8–II:27.
Eleocharis acicularis 7:90.
ovata 7:90.
palustris 7:90.
Eleusine indica 7:90.
Elm 7:76.
Elodes campanulata 7:23.
Elymus canadensis 7:98.
striatus, var. villosus 7:98.
virginicus 7:98.
Encrinurus americanus 2:102.
bowningi n. sp. *3:122.*
deltoides 2:102.
elegantulus 2:102.
mitchelli n. sp. *3:124.*
nereus 2:102.
ornatus 2:102.
punctatus 2:103, 3–Pl. 13.
thresheri n. sp. *2:101.*
Endophyllum sp. *3:131.*
Energy, distribution of in electrical wires 9–II:15.
Enstatite 1:T9.
Entolium attenuatum n. sp. *2:24.*
aviculatum 2:23, 28.
shumardianum 3–Pl. 12.
Epencephalon, of Erethizon 6:29.
of Geomys 6:35.
Epidote 1:T16.
Epigaea repens 7:56.
Epilobium adenocaulum 7:39.
coloratum 7:39.
strictum 7:38.
Epiphegus virginiana 7:66.
Epiphysis of Erethizon 6:29.
Equisetaceae 7:99.
Equisetum arvense 7:99.
hyemale 7:99.
limosum 7:99.
Eragrostis capillaris 7:97.
frankii 7:97.
major 7:96.
minor 7:96.
pilosa 7:96.
purshii 7:97.
reptans 7:96.
Erechtites hieracifolia 7:53.
Erethizon dorsatus, Fiber and Geomys, Biological notes on 6:15, 23.
Ericaceae 7:56.
Erie shale 9–I:7.
fossils of 4:110.
Erigenia bulbosa 5:10, 7:42.
Erigeron annus 7:49.
bellidofolius 7:49.
canadensis 7:49.
philadelphicus 7:49.
strigosus 7:49.
Eriophorum cyperinum 7:91.
lineatum 7:91.
virginicum 7:91.
Erodium cicutarium 7:25.
Erratics 9–I:28.
Eructavit, The. An old French paraphrase in verse of Ps. xlv 8–I:19.
Erythronium albidum 7:85.
americanum 7:85.
Escharina distorta, *see* Rhinopora verrucosa 2:166.
Euastrum elegans 2:116.
rostratum 2:116.
Euchlanis 1:47.
ampuliformis n. sp. *1:48.*
dilitata 6:60.
hipposideros 1:47, *see* E. dilitata.
triquetra 6:61.
Euomphalus latus *3:87.*

rugosus 2:22.
sp. ? 2:15–22, 3–Pl. 7.
spiralis *3:88.*
subquandratus *2:147.*
Euonymus americanus, var. obovatus 7:26.
atropurpureus 7:26.
Eupatorium ageratoides 7:46.
perfoliatum 7:46.
purpureum 7:46.
sessilifolium 7:46.
Euphorbiaceae 7:75.

Faculty, Scientific, Denison University 10:28.
Fagopyrum esculentum 7:74.
Fagus ferruginea 7:79.
Fairfield Co., O., preglacial valley in 9–II:33.
Fair Haven, O. Fauna of 3:11.
Falls of Paint Creek 9–I:16, 18.
of Ohio 9–I:4.
Lyon's 9–I:9.
False Foxglove 7:65.
Mermaid 7:25.
Pimpernel 7:65.
Spikenard, 7:85.
Feldspars 1:T17.
Fenestella albida *4:65.*
" var. richfieldensis, n. var., *4:66.*
aperta 4:66.
Fenestella burlintonensis 4:71.
cavernosa n. sp. *4:69.*
foliata n. sp. *4:67.*
herrickana n. sp. *4:63.*
limbatus n. sp. *2:83.*
" var. remotus *2:84.*
meekana n. sp. *4:64.*
regalis *4:70.*
remota n. sp. *2:87.*
subflexuosa n. sp. *4:68.*
tenax 4:71.
Fenestellidae 2:81.
Ferns and Phanerogams of Lick. Co., O., Catalogue of 7:1–102.
Festuca elatior, var. pratensis 7:98.
nutans 7:98.
Fiber, Geomys and Erethizon, Biological notes on 6:15.
Fiber zibethicus 6:15.
Ficoideae 7:39.
Filices 7:99.
Finches 1:13.
Fire Pink 7:21.
Fire-weed 7:53.
Fisher, J. O., The Lichens of Lick. Co., O., 9–I:11.
Fistulipora sp. undet. 4:92.
Euphorbia commutata 7:75.
corollata 7:75.
cyparissias 7:75.
dentata 7:75.
maculata 7:75.
obtusata 7:75.
preslii 7:75.
Evening Grosbeak 1:5–15.
Evening Primrose 7:39.
Everlasting 7:49.
Exchange list of Bulletin 5:4, 6:4, 10:45.

F

Five-finger 7:34.
Flax 7:24.
Fleabane 7:49.
Flemingia stulta n. sp. *4:45.*
Flint Ridge, Bryozoa of 2:71.
fossils from coal measures of 2:144.
fossils of 2:5.
Flocculus, of Erethizon 6:29.
Floerkea proserpina 7:25.
Flora of Licking Co., O. 7:1–102.
addition to 8–II:3.
Floral monstrosities *8–II:8.*
Floscularia 1:46.
appendiculata 1:47.
complanata 1:47.
longiloba 1:47.
ornata 1:47, 6:58.
proboscidea 1:47.
trifolium 1:47.
Flowering Ferns 7:101.
Flowers, winter 5:10.
Fluorite 1:T3.
Fly Honeysuckle 7:44.
Foerste, Aug. F. Clinton Group of Ohio 2:89, 149, 3:3.
Flint Ridge Bryozoa 2:71.
Note on Paleozoic Fossils 3:117.
Superposed buds 1:25.
Fog-fruit 7:67.
Formatis reticularis of Arctomys 5:56.
Fort Hill, O. 9–I:31.
Force, Determination of the horizontal component of the earth's magnetic 2:111.
Fornix of rodents 6:39.
Fossils of Lick. Co., O. 3:27.
Fossils, Paleozoic, notes on 3:117.
of Waverly, Lick. Co., O. 4:11.
from Bedford Shale 4:109.
tabulated list of from Ohio Waverly 4:123.

additions and corrections 5:33.
Fowke, Gerard. Preglacial drainage channels in Ross Co., O. 9–I:15.
Foxglove 7:65.
Foxtail 7:94.
Fragaria vesca 7:34.
virginiana 7:33.
" var. illinoensis 7:34.
Fragilaria lanceolata 3:115.
Frasera carolinensis 7:59.
Fraxinus americana 1:27, 7:58.
pubescens 7:58.
quadrangulata 7:58.
sambucifolia 1:29, 7:58.
viridis 1:29.
Friceratium jensenianum 3:115.
solenoceros 3:115.
venosum 3:115.
Fringillidae 1:7.
Fultonham, O., section at 3:21.
Fumariaceae 3:21.
Fusulina cylindrica 2:15, *2:50.*

G

Galium aparine 7:45.
asprellum 7:46.
circaezans 7:45.
concinnum 7:46.
lanceolatum 7:45.
latifolium 7:45.
pilosum 7:45.
trifidum 7:45.
" var. latifolium 7:45.
triflorum 7:46.
Garlic, wild 7:84.
Garnet 1:T2.
Gas, in Lower Silurian 1:67.
Gasteropoda, in Clinton Group of O. 1:94.
of Flint Ridge 2:17.
Gaultheria procumbens 7:56.
Gaura biennis 7:39.
Gaylussacia resinosa 7:56.
Geanticline Cin. O. 9–I:4.
Gentianaceae 7:59.
Gentian, Closed 7:59.
Gentiana andrewsii 7:59.
crinita 7:59.
Geological aphorisms 4:98.
section, Ashland Co., O. 4:102.
" Lyons Falls 4:101.
" Rushville, O. 4:102
" Sciotoville, Ohio. 4:102.
Geology, chemical 3:3.
Geology, Department of, Denison University 10:87.
Licking Co., O. 2:5–144, 3:13, 4:11, 4:97.
and Lithology of Michipicoten Bay 2:119.
Geomys, Fiber and Erethizon, Biological notes on 6:15.
bursarius, Biological notes on 6:18.
brain of 6:31.
food of 6:22.
habits of 6:20.
relationships of 6:20.
Georgia, notes on Cladocera of 8–II:22.
Geraniaceae 7:24.
Geranium maculatum 7:24.
Gerardia flava 7:65.
purpurea 1:31.
Germander, American 7:67.
Germination of Phoenix Dactylifera 7:8.
Gervilla (?) ohioense n. sp. *2:36, 2:145.*
Geum album 7:33.
strictum 7:33.
vernum 7:33.
virginianum 7:33.
Gill-over-the-ground 7:69.
Gilpatrick, J. L. Biography of *10:28.*
Ginger, Wild, 7:74.
Ginseng, 7:42.
Glacial action, effect of 1:71.
epoch 9–I:2.
ice sheet, crushing effect of 6:12.
Glauconome whitii n. sp. *2:78.*
Glauconome whitii n. sp. *2:78.*
Gleditschia triacanthos 1:33, 7:31.
Glyceria acutiflora 7:98.
canadensis 7:97.
elongata 7:97.
fluitans 7:98.
nervata 7:97.
pallida 7:97.
Glyptopora megastoma 4:83.
Gnaphalium purpurem 7:49.
uliginosum 7:49.
Gneiss, near Pacolet Mills, S. C. 4:7.
of Dog River 2:128.
Goat's-beard 7:32.
-rue 7:29.

Golden Ragwort 7:53.
Seal 7:14.
Gomphonema acuminatum 3:115.
Goniatities *2:146.*
iowensis *2:146.*
lyoni 3:92, 4–Pl. 7.
Goniodon ohioensis n. sp. *3:84.*
Goodyera pubescens 7:81.
repens 7:81.
Goose–grass 7:45.
Gopher, Biological notes on 6:18.
food of 6:22.
habits of 6:20.
Gramineae 7:93.
Grammysia 1:92.
caswelli n. sp. *1:92.*
famelica n. sp. *4:35.*
hannibalensis *3:75.*
ovata n. sp. *4:35.*
rhomboides *3:75.*
sp. *3:76.*
triplesianus 1–Pl. 14.
ventricosa 3:76.
Granite, near Pacolet Mills, S. C. 4:5.
Granville, O. List of Algae from 4:132.
meteorological observations at 6:47.
Grape, Frost 7:27.
Graphidacei 9–I:14.
Graphis scripta 9–I:14.
Graphite 1:T1.
Graptolitidae 2:107.
Gratiola virginiana 7:64.
Greek valerian 7:60.
Green–dragon 7:88.
Foxtail 7:94.
Greenstone of Michipicoten Bay 2:121.
Griffithides 2:52.
acanthiceps *2:55.*
absoletus 2:57.
brevispinus 2:55, 57.
bufo 2:55.
calcaratus *2:55.*
carringtonensis 2:55, 57.
glaber 2:55, Pl. 3.
globiceps 2:55, Pl. 6.
gruenwaldti 2:55, Pl. 6.
longiceps 2:55, Pl. 6.
longispinus 2:55, Pl. 6.
moriceps 2:55.
obsoletus 2:55.
platyceps 2:55, 57.
portlocki 2:55.
roemeri 2:55, Pl. 6.
seminiferus 2:55, Pl. 6.
Grit, Berea 4:107.
Grosbeak, The evening 1:5.
food of 1:6.
song of 1:6.
osteology of 1:7.
specific characters of 1:7.
Ground Hog, Central nervous system of 5:36.
Ground Ivy 7:69.
–Pine 7:101.
Growth, sympodial 1:34.
Gymocladus canadensis *1:25.*
Gypsum 1:T16.
Gyroceras sp. 4:47.
Gyrus fornicatus, of opossum 6:84.

H

H, determination of 2:111.
Habenae of Geomys and Erethizon 6:40.
Habenaria lacera 7:82.
orbiculata 7:82.
psycodes 7:82.
tridentata 7:82.
Habit of fresh water Hydra, notes on 4:131.
Hackberry 7:76.
Hair Grass 7:95.
Halberd–leaved Tear–thumb 7:74.
Haloragеae 7:38.
Hamamelideae 7:37.
Hamamelis virginiana 5:10, 7:37.
Hamilton Group 9–I:5.
formation 9–I:6.
Hanover, O. Conglomerate near 2:15.
Drift accumulation at 8–II:43.
Exposures in R. R. cut at 8–II:44.
Preglacial valley at 8–II:44.
Present drainage at 8–II:44.
Hanyn (Hanyite) 1:T2.
Hawkweed, hairy 7:54.
Heal–all 7:70.
Hedeoma pulegioides 7:69.
Hedgehog or Bur Grass 7:94.
Hedge Mustard 7:18.
Helenium autumnale 7:52.
Helianthus annus 7:70.
decapetalus 7:51.
divaricatus 7:51.
doronicoides 7:51.
laetiflorus 7:51.
parviflorus 7:51.
strumosus 7:51.
" var. mollis 8–II:4.
tracheliifolius 7:51.

tuberosus 7:51.
Heliopsis laevis 7:50.
Helminthite 1:T12.
Hematite 1:T8.
Hemerocallis fulva 7:84.
Hemipronites 2:12.
crassus *2:50.*
crenistria *3:37, 4:24.*
Hemitrypa ulrich n. sp. *2:152.*
Hemlock 7:80.
Hemp 7:76.
Hepatica acutiloba 7:12.
triloba 7:11.
Heracleum lanatum 7:40.
Hercynite 1:T3.
Herrick, C. Judson 10:19.
Biography of *10:34.*
(and C. L. Herrick) Biological notes upon Fiber, Geomys and Erethizon 6:15.
Editor Journ. Comp. Neurol. 10:54.
Studies in the Topography of Rodent Brain 6:26.
Writings of 10:34.
Herrick, Clarence L. Biography of *10:16.*
A Waverly trilobite 2:69.
(and C. J. Herrick) Biological notes upon Fiber, Geomys and Erethizon 6:15.
(and W. G. Tight) Central Nervous System of Rodents 5:35.
Cerebrum and Olfactories of Opossum 6:75.
Compend of Lithological Manipulation 1:121.
Founded Bull. Sci. Labr. 10:41.
Founded Den. Sci. Assoc. 10:37.
Founded Journ. Comp. Neurol. 10:54.
Geological History Lick. Co., O. 1:4, 3:13, 4:11, 97.
(et. al.) Geology and Lithology of Michipicoten Bay 2:119.
Limnicole or Mud-Living Crustaceae 1:37.
Metamorphosis of Phyllopod Crustaceae 1:15.
Notes on Carboniferous Trilobites 1:51.
Osteology of Evening Grosbeak, Hesperiphona vespertina Bonap. 1:5.
Rotifers of America 1:43.
Hesperiphona, anatomy of 1:15.
abeilii 1:5.
vespertina 1:5.
" specimen of 5:22.
Heteranthera graminea 7:87.
Heuchera americana 7:36.
Hibiscus moscheutos 7:24.
trionum 7:24.
Hicks, Prof. L. E. Biography 10:10.
principal writings 10:10.
Hickory, Shell bark 7:77.
Hieracium gronovii 7:54.
paniculatum 7:54.
scabrum 7:54.
venosum 7:54.
Hocking River and its tributaries 8-II:52.
reversed drainage in 9-II:37.
Hogweed 7:50.
Honey-locust 7:31.
Hop 7:76.
Hop Clover 7:29.
Hop Horn-beam 7:78.
Hop-tree 7:25.
Horehound 7:70.
Horizontal component of the earth's magnetic force 2:111.
Hornblende 1:T15.
Horse Gentian 7:44.
Horseradish 7:18.
Horsetail 7:99.
Horse Weed 7:49.
Hound's Tongue 7:61.
Houstonia caerulea 5:10, 7:45.
purpurea var. ciliolata 7:45.
" " longifolia 7:45.
Huckleberry 7:56.
Humulus lupulus 7:76.
Hyacinth 7:84.
Hyalotheca mucosa 4:132.
Hydra. Note on peculiar habit of fresh water, 4:131.
Hydrangea arborescens 7:37.
Hydrastis canadensis 7:14.
Hydrocharidaceae 7:80.
Hydrophyllaceae 7:61.
Hydrophyllum appendiculatum 7:61.
canadense 7:61.
macrophyllum 7:61.
virginicum 7:61.
Hypericaceae 7:22.
Hypericum ascyron 7:22.

canadense 7:23.
densiflorum 7:23.
maculatum 7:23.
mutilum 7:23.
perforatum 7:23.
prolificum 7:23.

Hypersthene 1:T10.
Hypophysis of Erethizon 6:28.
Hypoxis erecta 7:83.
Hystricidae, North American representative 6:26.

I

Ice dam at Cincinnati, O. 9–I:26.
sheet, crushing effects of 6:12.
Ichthyocrinus 2–Pl. 8 sp.
Ilex verticillata 7:26.
Ilicineae 7:26.
Illaenus 1:73.
ambiguus n. sp. *1:106*, 1:101, 2:94.
dalman 1:104.
daytonensis 1:101, *104*, *2:93*.
insignis 1:101, 106.
madisonianus 1:101, *106*, *2:93*.
Illecebraceae 7:71.
Ilmenite 1:T3.
Ilyocryptus acutifrons 1:40.
agilis 1:39, 40.
setifer 1:39.
sordidus 1:40.
spinifer, Herrick, not the same as I. longiremus 8–I:15.
comparison with 8–I:17.
Ilysanthes riparia 7:65.
Impatiens fulva 7:25.
pallida 7:25.
Indian Cucumber–root 7:86.
Currant 7:44.
Hemp 7:58.
Pipe 7:57.
Plantain 7:53.
Rice 7:94.
Tobacco 7:55.
Turnip 7:88.
Injection apparatus *5:11*.
Instruction, The personal elements in 4:147.
Inula helenium 7:49.
Ipomea pandurata 7:62.
purpurea 7:62.
Iridaceae 7:83.
Iris lascustris 7:83.
versicolor 7:83.

J

Jamestown weed 7:63.
Jasper conglomerate 9–I:28.
Jeffersonia diphylla 7:15.
Jerusalem Artichoke 7:51.
Jersey Pine 7:80.
Johnson, Prof. W. H. 10:5, 39.
Joints in sandstone 9–I:21.
Jones, H. L. Additions to Flora of Lick. Co., O. 8–II:3.
Catalogue of the Phanerogams and Ferns of Lick. Co., O. 7:1.
(et al.) Geology and Lithology of Michipicoten Bay 2:119.
Winter Flowers 5:10.
Journal of Comp. Neurol. 10:17, 41, 54.
contents of 10:55.
Junglandaceae 1:25, 27, 7:77.
Junglans cinera 1:33, 7:77.
nigra, 1:33, 7:77.
regia 1:30.
Juniperus communis 7:80, 8–II:5.
virginiana 7:80, 8–II:5.
Juncaceae 7:87.
Juncus acuminatus 7:87.
bufonius 7:87.
canadensis var. longicaudatus 8–II:5.
effusus 7:87.
filiformis 7:87.
nodosus var. megacephalus 7:87.
tenuis 7:87.
June Grass 7:97.

K

Kalmia latifolia 7:57.
Kanawha system, continuation of near Portsmouth, O. 9–II:19.
Kentucky Blue Grass 7:97.
Keokuk Group 4:99.
Kettle holes 9–I:15.
Keweenaw rocks on Michipicoten Island 2:135.
Key to Brachiopoda of Licking Co., O. 4:11.
Kinderhook, Middle Waverly of 4:100.
Kinnikinnik 7:43.
Krigia amplexicaulis 7:54.

L

Labiatae 7:67.
Laboratory manuipulation, Compend of 1:121.
Labradorite 1:T18.
Lactuca 1:27.
acuminata 7:55.
canadensis 1:31, 7:54.
hirsuta 7:55.
integrifolia 7:54.
leucophaea 7:55.
scariola 7:54.
Lady's Slipper 7:82.
Thumb 7:73.
Lamb's Quarters 7:72.
Lamellibranchiata 2:104.
of Flint Ridge, O. 2:23.
in Clinton Group of O. 1:91.
Lamium album 7:70.
maculatum 7:70.
Lancaster, O., drainage near 9-II:33.
Lantern slides, Thin objects as 8-I:50.
Transfer process for 8-I:50.
Without a negative 8-I:49.
Laportea canadensis 7:77.
Larix americana 7:80.
Larkspur 7:13.
Larval History of Cypris 8-I:11.
Lathyrus palustris 7:30.
" var. myrtifolius 8-II:4.
Lauraceae 7:74.
Leaf buds, Superposition of 1:29.
Leather flower 7:11.
Lecideacei 9-I:13.
Lecidea albocaerulescens 9-I:14.
platycarpa 9-I:14.
Leconora cenisia 9-I:11, 13.
subfusca 9-I:13.
varia 9-I:13.
Leda attenuata 2:40.
saccata, *see* Nuculana saccata *3:80.*
similis, *see* Nuculana similis 3:79.
spatulata, *see* Nuculana spatulata *3:79.*
Leek, Wild 7:84.
Leersia oryzoides 7:94.
virginica 7:94.
Leguminosae 1:29, 34, 7:28.
Leioclema gracillimum 4:92.
minutum, *see* L. gracillimum 4:92.
punctatum 4:91.
Leiopteria halli n. sp. *3:61.*
nasutus n. sp. *4:29.*
(?) newberryi n. sp. *4:114.*
ortoni n. sp. *3:60*, 4-Pl. 5.
sp. 3:62.
sp. (?) *3:62.*
Leiorhynchus (?) richlandensis 4-Pl:3.
Lemnaceae 7:89.
Lemna minor 7:89.
trisulca 7:89.
Lentibulariaceae 7:66.
Leonurus cardiaca 7:70.
Lepidium intermedium 7:19.
virginicum, 5:10, 7:19.
Lepidodendra (as drift) 9-I:6.
Leptodesma scutella n. sp. *3:59.*
see Avicula scutella *4:30.*
Leptaena 1:79.
patenta, *see* Strophomena patenta
prolongata n. sp. 1:78, *79.*
transversalis 1:78, 79.
sericea 1:79.
Lespedeza polystachya 7:30, 8-II:4.
procumbens 7:30.
stuvei var. intermedia 7:30.
Lettuce, Wild 7:54.
Leucite 1:T3-4.
Leverett, Frank. Changes in Drainage in Southern O. 9-II:18.
Lever-wood 7:78.
Leydigia quadrangularis 1:37, 8-I:5.
Lichas 1:112.
breviceps 1:101, *112, 2:98*, 3:120, Pl. 13, *8:98.*
halli n. sp. *3:118.*
trentonensis *3:118.*
Lichenalia 2:168.
concentrica *2:168.*
Lichens of Licking Co., O. 9-I:11.
Licking Co., O. Additions to Flora of 8-II:3.
Geology of 2:5, 2:144, 3:13, 4:11, 97.
List of fossils from 3:27.
Map of 7:104.
Phanerogams and Ferns of 7:1.
Plant distribution of 7:102.
Rainfall of 7:6.
Subcarboniferous of 3:13.
Temperature of 7:6.
Topography and present drainage of 8-II:36.
Waverly of 3:13.
Weeds of 7:7.
Licking Narrows 8-II:39, 48.
Licking River, Causes of changes in drainage of 8-II:47.
Gorge of 8-II:41.

Present channel of 8–II :38.
Liebenerite 1 :T7.
Ligusticum actaefolium 7 :40.
Liliaceae 7 :84.
Lilium bulbiferum 1 :33.
canadense 7 :86.
superbum 7 :86.
Lily, Yellow 7 :86.
Lima retifera *2:29.*
Limatulina (?) ohioensis n. sp. 3–Pl *2.*
Limestone, Clinton 1 :76.
" analysis of 3 :3.
Chester 9–I :10.
Dayton quarries 1 :68, 73.
gravel 9–I :31.
Niagara 1 :68.
Limnadiadae 1 :17.
Limnetes *1:20.*
gouldii, Larval developement of *1:17.*
Linaceae 7 :24.
Linaria vulgaris 7 :64.
Linatulina ohioensis n. sp. *3:55.*
Lindera benzoin 1 :33, 7 :74.
Lingula atra n. sp. *4:16.*
cuyahoga 4–Pl. 10.
gannensis n. sp. *4:17.*
meeki n. sp. *4:18.*
melie 2 :44, 4–Pl. 9–10.
membrancea *4:17.*
mytiloides 2 :44.
scotica *2:144.*
" *see* L. waverliensis n. sp.
tighti n. sp. *2:43.*
umbonata 2 :44, *144.*
waverliensis n. sp. *4:18.*
Linum sulcatum 7 :24.
usitatissimum 7 :24.
virginianum 7 :24.
Liparia liliifolia 7 :81.
Lippia lanceolata 1 :32, 7 :67.
Liquorice, Wild, 7 :45.
Liriodendron tulipifera 1 :30, 7 :14.
Lithological lathe 1 :126.
manipulation 1 :121.
microscope 1 :127.
notes on contact phenomena in S. C. 4 :5.
Lithology and Geology of Michipicoten Bay 2 :119.
laboratory manipulation in 1 :121.
Lithospermum arvense 7 :62.
Little Scioto, erosion in 9–II :28.
Lobeliaceae 7 :55.
Lobelia cardinalis 7 :55.
inflata 7 :55.
leptostachys 7 :55.
syphilitica 7 :55.
" cross fertilization of 3 :111.
Locust 7 :29.
Logan Group in Ohio 4 :103.
Lolium perenne 7 :98.
Lonicera ciliata 7 :98.
glauca 7 :44.
sempervirens 7 :44.
sullivantii 8–II :4.
tartarica 1 :34.
Lophanthus nepetoides 7 :69.
Lophophyllum profunda 3 :136.
sp. 4–Pl. 11.
Lopseed 7 :67.
Loranthaceae 1 :33.
Lotze's Ontology, Review of 4 :137.
Lousewort 7 :66.
Lower Silurian 1 :66.
gas in 1 :67.
Loxonema *2:22.*
delphicola (?) 4–Pl. 9.
sp. *2:147,* 4–Pl. 7.
yandellana *3:86.*
Ludlow Falls, Clinton exposures of 3 :10.
Ludwigia alternifolia 7 :38.
palustris 7 :38.
polycarpa 7 :38.
Luzula campestris 7 :88.
vernalis 7 :87.
Lychnis githago 7 :21.
Lycopodiaceae 7 :101.
Lycopodium complanatum 7 :101.
lucidulum 7 :101.
obscurum 7 :101.
Lycopus rubellus 7 :68.
sinuatus 1 :31, 7 :68.
virginicus 7 :68.
Lynceus 6 :67.
Lyon Falls, Geological section 4 :101.
Lyriopecten nodocostatus n. sp. *4:32.*
Lysimachia ciliata 1 :31.
nummularia 1 :33, 7 :57.
quadrifolia 7 :57.
thyrsiflora 8–II :4.
Lythraceae 7 :38.
Lythrum alatum 1 :32, 7 :38, 8–II :4.

M

McFarlane, Citation on relations between schists and granite 2:121.
4:149.
Mackenzie River 9–I:6.
McKibben, G. F. Chamisso as Naturalist and Philologist The Eructavit 8–I:19.
Maclura aurantiaca 7:76.
McNeil, H. C., Biography of 10:15, 36.
Macrocheilus fusiformis *2:147*, 4–Pl. 11.
medialis 2:21.
paludinæformis 4–Pl. 11.
planus 2:21.
ponderosus 4–Pl. 11.
sp. (?) *2:21.*
subcorpulentus 2:21.
Macrodactylea 1:49.
Macrodon 2:31.
carbonaria *2:32.*
hamiltonae 4–Pl. 9.
newarkensis n. sp. *4:36.*
obsoletus *2:3.*
reservatus 4–Pl. 6.
sp. *4:38.*
striato–costatus n. sp. *4:37.*
tenuistriata 2:31, 4Pl. 10.
triangularis n. sp. *3:74.*
(?) " *see* Schizodus triangularis 4:116.
Macrothrix laticornis 8–II:24.
Mad–dog Skullcap 7:69.
Magnesite 1:T7.
Magnesium, Crystal system of 1:130.
detection of in rocks 1:131.
fluo–silicate of 1:130.
Magnetic Force, Determination of horizontal component of earth's 2:111.
Magnetite 1:T1.
Magnetometer *2:111.*
Magnoliaceae 7:14.
Magnolia acuminata 7:14.
Maianthemum canadense 7:85.
Mallow 7:23, 24.
Malvaceae 7:23.
Malva rotundifolia 5:10, 7:23.
sylvestris 7:23.
Map of Licking Co., O. 7:104.
Maple 7:27.
Marl, Beavertown 1:77.
Marsh, Fletcher O. 10:7, 15.
Marsh Bellflower 7:56.
Mallow 7:23, 8–II:3.
Marigold 7:13.
Speedwell 7:65.
Marrubium vulgare 7:70.
Martinia lineata *2:46.*
plano–convexa *2:46.*
prærnatura 4–Pl. 3.
Mastigocerca raltus 6:59.
May Apple 7:15.
flower 7:56.
–weed 7:52.
Meadow Rue 7:12.
Sweet 7:32.
Medeola virginiana 7:86.
Medicago lupulina 7:29.
Medicommissure in Geomys and Erethizon 6:40.
Medulla of Arctomys, Structure of 5:53.
Mejonite 1:T5.
Melanite 1:T3.
Melicerta ringens 1:44.
Melilite 1:T3.
Melilot 7:29.
Melilotus alba 1:34, 7:29.
officinalis 7:29.
Melissa officinalis 7:68.
Menispermaceae 7:14.
Menispermum canadense *1:30*, 7:14.
Mentha canadensis 7:68.
piperita 7:68.
sativa 7:68.
viridis 7:68.
Menyanthes trifoliata 7:60.
Merril, Nathan F. 10:15.
Meristella 1:88.
cylindrica 1:88.
umbonata 1:76, 78, *88* (sp.)
Meroxene 1:T12.
Mertensia virginica 7:61.
Mesencephalon of Arctomys 5:67.
Erethizon 6:29.
Geomys 6:34, 35.
Meteorological observations at Granville, O. 6:47.
Method, Micro–chemical, in Lithology 1:128.
Metopidia bractea 6:62.
dentata n. sp. *6:63.*
elliptica n. sp. *6:62.*
Mexican Poppy 7:16.
Miama drainage channels 8–II:55.
Mist 7:61.
Mica diorite, Michipicoten Island 2:138.
schist of Dog River 2:138.
Michipicoten Bay, Geology and Lithology of 2:119.
Rocks of 2:125.

Michipicoten Island, section through 2–Pl. 11.
outline map of 2–Pl. 11.
Micrasterias truncata 2:116.
Micro–chemical methods 1:128.
Microcline 1:T17.
Microdiscus punctata *3:117.*
Microdon bellistriatus 4–Pl. 9.
reservatus *3:75.*
(cf. subelliptica) *2:40.*
Micropegmatite 1:T2.
Microscope, Use of Polarizing 1:31.
Milfoil 7:52.
Milium effusum 7:95.
Milkweed 7:59.
Mimulus alatus 7:64.
ringens 1:31, 7:64.
Minerals, Tables for determination of rock–forming 1:137, 1:57
Mint, Wild 7:68.
Miscrasterias truncata 4:132.
Mitchella repens 7:45.
Mitella diphylla 7:36.
Mitre–wort 7:36.
Modeling, cardboard 9–II:7.
instruments 9–II:7.
in wax from microscopic sections 9–II:3.
Modiola waverliensis n. sp. *3:63.*
Modiomorpha hyalea *3:76.*
Moina 1:20.
Moina paradoxa 6:66.
Mollusca of Flint Ridge, O. 2:17.
Mollugo verticillata 7:39.
Monarda fistulosa 7:69.
Moneywort 7:57.
Monocerca 1:51.
rattus 1:51.
" *see* Mastigocerca rattus 6:59.
Monospilus dispar 1:38.
tenuirostris 1:37.
Monostyla 1:53.
closterocerca 1:53.
cornuta 1:53.
lunaris 1:53, 6:61.
macrognatha 1:53.
oopthalma 1:53.
quadridentata 1:53, Pl. 4, 6:62.
truncata n. sp. *6:62.*
Monotropa uniflora 7:57.
Monotrypella 2:171.
confluens n. sp. *2:172.*
Monstrosities, Floral 8–II:8.
Monticuliporidæ 2:85, 170.
Moonseed 7:14.
Moraines 9–I:*34.*
Morning–glory 7:62.
Morus alba 7:76.
rubra 7:76.
Moss Pink 7:60.
Motherwort 7:70.
Moth Mullein 7:63.
Motor nuclei of trigeminus 5:62.
Mouse–ear Chickweed 7:22.
Mount Logan 9–I:23.
Mount Perry, O., Geological section near 2:115.
Mountain Laurel 7:57.
Mounting, rock sections 1:125.
Muhlenbergia diffusa 7:95.
mexicana 7:95.
sobolifera 7:95.
sylvatica 7:95.
Mulberry, Red, 7:76.
White, 7:76.
Mullein 7:63.
Foxglove 7:65.
Murchisonia quadricincta *3:87.*
sp. 4–Pl. 7.
Muscovite 1:T12.
Muskingum River, Causes which produced changes in drainage of 8–II:47.
Course of the preglacial 8–II:47.
Description of 8–II:45.
Preglacial drainage, relation of to other systems 8–II:51.
Preglacial drainage 8–II:59.
valley 8–II:46.
Muskrat, Biological notes on 6:15.
food of 6:16.
huts of 6:17.
Mustard, Black, 7:19.
Myalina flemingii 2:37.
meliniformis 2:37.
michiganensis *3:63.*
perattenuata 2:37.
(cf. recurvirostris) *2:37.*
sp. (?) *2:37, 1:46.*
sublamellosa 2:37.
subquadrata 2:37, Pl. 5.
(?) swallovi *2:37.*
Myosotis verna 7:62.
Myriophyllum spicatum 7:38.
Mytilarca fibristriatus *4:31.*
occidentalis *4:32.*

N

Naidaceae 7:90.
Narrows, Licking, Cause of 8–II:48.
Nasturtium armoracia 7:18.
lacustre 7:18.
obtusum 7:18.
officinale 7:18.
palustre 7:18.
Naticopsis nana 4–Pl. 11.
nodosa 4–Pl. 11.
n. sp. *3:87.*
Natrolite 1:T19.
Nauplius–form 1:17.
Nautilus bisulcatus n. sp. *3:20,* 4–Pl. 11.
decoratus 2:17.
forbesianus *2:146.*
sp. *2:17,* 3–Pl. 2 (?)
Navicula borealis 3:115.
biceps 3:115.
brevis 3:115.
cuspidata 3:115.
consimilis 3:115.
cryptocephala 3:115.
cynthia 3:115.
entomon 3:115.
latissima 3:115.
longa 3:115.
polystricta 3:115.
" var. circumstricta 3:115.
sentelloides 3:115.
Negundo aceroides 7:28.
New Jersey Tea 7:26.
Nelumbo lutea 7:15.
Nepeta cataria 7:69.
glechoma 7:69.
Nepheline 1:T7.
Nesaea verticillata 1:31.
Nettle 7:77.
Nerves, Cranial, of Erethizon 6:30.
of Geomys and Erethizon 6:42.
origin of in rabbit and rat 5:42.
Nervous system, The central, of Rodents 5:35.
Newark, Quarries of *6:13.*
New Lexington, O., drainage near 9–II:35.
Newton, O. Geological exposures near 2:15, 16.
Niagara formation 9–I:4.
Group 1:67, 68, 69.
Nicandra physaloides 7:63.
Night–shade 7:39.
Nigrine 1:T4.
Nine bark 7:32.
Nitzschia coaretala 3:115.
Nodes, Location on parallel electric wires 9–II:17.
Nondo 7:40.
Nonesuch 7:29.
North Fork of Licking River, description of 8–II:36.
Nosean 1:T2.
Nostoc rupestre 4:132.
Notommata 1:47.
Nuclei, Motor, of the trigeminus 5:62.
Nucleus of the pons 5:63.
Nucula 1:93.
houghtoni *4:44, see* Ctenodonta houghtoni 3:78.
iowensis, *see* Ctenodonta iowensis *3:78.*
minima n. sp. *1:93.*
sp. (?) 3–Pl. 4.
stella. *see* Ctenodonta stella 3:78.
Nuculana bellistriata 2:40.
nuculæformis *4:45.*
saccata *3:80.*
similis n. sp. *3:79.*
spatulata n. sp. 3:79.
sp. 3–Pl. 7, *4:45.*
Nuphar advena 7:15.
Nymphaceae 7:15.
Nymphaea odorata 7:15.
reniformis 7:15.
Nyssa sylvatica 7:43.

O

Oak, Red 7:78.
Scarlet 7:78.
White 7:78.
Obolaria virginica 7:60.
Obex of Erethizon 6:30.
Oedogonium fragile 4:132.
Oenothera biennis 7:39.
fruticosa 1:31, 7:39.
Ohio 1:50.
Berea grit of 4:107.
" shale of 4:107.
Bryozoa of the Waverly group in 4:63.
Clinton Group of 2:89, 1:49, 3:3.
Cuyahoga shale 4:103.
drainage, relation of to rock structure 8–II:61.

Falls of 9–I:4.
Fossils of Waverly of 4:123.
" " additions and corrections 5:33.
Logan Group 4:103.
Preglacial drainage of 9–I:15, 25.
Preglacial drainage, features of 9–II:22.
Ohio River Gorge 8–II:57.
Tertiary 8–II:61.
Tributaries of 8–II:57.
Valley, features of 9–II:22.
" development of 9–II:30.
Waverly shale of 4:107.
Old Witch Grass 7:93.
Oleaceae 7:58.
Olfactories and cerebrum of the opossum 6:75.
Olfactory lobes of Erethizon 6:27.
of Geomys and Erethizon 6:36.
Oligoclase 1:T18.
Olivary body of Arctomys 5:56.
Olivine 1:T9.
Omphacite 1:T14.
Onagraceae 7:38.
Onoclea sensibilis 7:101.
Onosmodium virginianum 7:62.
Oothonota rectidorsatus 3–Pl. 9.
Ophioglossaceae 7:101.
Ophridium paradoxum 1–Pl. 10.
Opossum, cerebrum and olfactories of 6:75.
Optic tracts in Geomys and Erethizon 6:40.
of rodent brain 5:40.
Oracardia Genus n. 4:41.
cornuta n. sp. *4:42.*
ornata n. cp. *4:41.*
Orange Root, 7:14.
Orbiculoidea sp. *3:30.*
pleurites 4:12, 19.
Orbiculoides newberryi 4.12, Pl. 10.
Orchard Grass 7:97.
Orchidaceae 7:81.
Orchid, Showy 7:82.
Ragged Fringed 7:82.
Orchis rotundifolia 7:82.
spectabilis 7:82.
Orioles 1:13.
Ornithogalum umbellatum 7:84.
Orobanchaceae 7:66.
Orthis 1:80.
bella–rugosa 1:86.
biforata f. Clintonensis 1:76.
" var. lynx 1:74, 78, 80.
" var. lynx f. daytonensis *1:82.*
" var lynx f. reversata *1:80.*
daytonensis 1:74.
" n. sp. 1:87.
elegantula 1:76, 78, 84.
" var. parva 1:78, *85.*
fausta 1:70, 76.
" n. sp. *1:85.*
flabella 1:76, 78, *82.*
hybrida 1:76, 78, *83.*
insculpta 1:86.
nisis 1:78, 86.
vanuxemi, var. pulchellus, var. n. *3:38,* 4–Pl. 9.
Orthoceras 1:117, 2:17.
cribrosum *2:17.*
duseri 2:17.
heterocinctum 4:47.
inceptum n. sp. *1:117.*
indianense 3–Pl. 9.
rushensis 2:17, 4–Pl. 7.
Orthoclase 1:T12.
Orthonema sp. 2–Pl. 14.
Orthonota rectidorsalis *3:65.*
Osage Orange 7:76.
Osbun, Prof. Isaac Justin, Biography 10:12.
Oscillaria sp. 4:132.
tenuis 4:132.
Osmorrhiza brevistylis 7:42.
longistylis 8–II:4.
Osmunda claytonia 7:101.
cinnamomea 7:101, 8–II:6.
regalis 7:101.
Osteology of Hesperiphona vespertina 1:7.
Ostracoda, Cladocera, Copepoda and Rotifera of Cincinnati, O. 6:57.
Notes on American with descriptions of n. sp. 8–II:13.
of Cincinnati, O. Notes on 8–I:3.
Ostrya virginica 7:78.
Ottrelite 1:T12.
Oxalis corniculata, var, stricta 7:25.
recurva 7:25.
violaceae 7:25.

P

Pachydictya bifurcata *2:163.*
" var. instabilis, var. n. *2:164.*
emaciata n. sp. *2:162.*
obesa n. sp. *2:165.*
turgida n. sp. *2:164.*
Paint Creek, falls of 1:16, 18.
preglacial tributary to 9–I:25
lake 9–I:23.
valley 9–I:27.
Palæoneilo attenuata *3:82.*
bedfordensis 4–Pl. 9.
concentrica, *see* P. elliptica.
consimilis n. sp. *4:43.*
curta n. sp. *4:44.*
elliptica n. sp. 3:80, Pl. 9
" var. allorismiformus 3:81.
" var. elegantula 3:81.
" var. plicatella 3:81.
ignota n. sp. *4:44.*
marshallensis 4–Pl. 4.
plicatella 3–Pl. 4.
sulcatina *4:44.*
Paleontology of Clinton Group 1:76.
Paleozoic fossils, notes on 3:117.
Panicum agrostoides 7:94.
capillare 7:93.
clandestinum 7:94.
Crus–galli 7:94.
dichotonum 7:94.
latifolium 7:94.
proliferum 7:93, 8–II:5.
sanguinale 7:93.
Pannaria nigra 9–I:11, I:13.
Papaveraceae 7:16.
Papaver somniferum 7:16.
Pappoose Root 7:15.
Parietaria pennsylvanica 7:77.
Parmeliacei 9–I:12.
Parmelia borrei, var. reducta 9–I:12.
cetata 9–I:12.
Parnassia caroliniana 7:37.
Partridge–berry 7:45.
Pea 7:31.
Passiflora lutea 1:34.
Pastinaca sativa 7:40.
Pawpaw 7:14.
Payne, C. L. Cross fertilization of Lobelia syphilitica 3:111.
List of Algae from Granville, O. 4:132.
Pecten interstitialis 2:29.
Pediastrum angulosum 2:115.
boryanum 2:115.
ehrenbergii 2:115.
simplex 2:115.
Pedicularis canadensis 7:66.
lanceolata 7:66.
Peltandra undulata 7:88.
Peltigera cornia, var. spongiosa 9–I:11.
horizontalis 9–I:13.
rufescens 9–I:13.
Pennite 1:T12.
Pennyroyal 7:69.
Penthorum sedoides 1:32, 7:37.
Penstemon laevigatus 7:64.
Pepper, Wild Water 7:73.
Peppermint 7:68.
Periwinkle 7:58.
Pernopecten limiformis 2:24.
n. sp. 2:15.
shumardianus 2:23, *3:57.*
Pero, of opossum 6:77.
Perofskite 1:T3.
Persimmon 7:58.
Pes of opossum 6:78.
Phacelia purshii 7:61.
Phacops pulchellus n. sp. *2:99.*
serratus n. sp. *3:126.*
Phaenopora expansa, *see* Ptilodictya expansa and Phaenopora platyphylla.
fimbriata *2:161.*
magna *2:159.*
multifida *2:160.*
platyphylla *2:157.*
Phaethonides immaturus n. sp. *4:59.*
lodiensis 4:59.
occidentalis n. sp. *4:57.*
spinosus n. sp. *4:58.*
Phalaris arundinaceae 7:95.
Phallus daemonum *8–II:7.*
Phanerogams and Ferns of Lick. Co., O. 7:1.
Phegopteris hexagonoptera 7:100.
Phillipsia 2:52.
aequalis 2:56.
articulosa 2:54, 56.
auriculatus *4:54.*
carinata 2:54, 56.
cliffordi 2:54, 56.
cliftonensis 2:55, 61.
colei *2:54,* 57.
consors n. sp. *4:53.*
derbiensis *2:54.*
doris 2:54, 62.
eichwaldi 2:54, 57.
" var. mucronata *2:54.*
elliptica 2:70.
gemmulifera *2:53.*
howi 2:63.
insignis 2:54, 63.

latispinosa 2:55.
laticaudata 2:54, 56.
leei 2:54, 56, Pl. 5.
lodiensis 2:57.
major 2:55, 60.
meramecensis 2:55, 59, *3:28*, *4:54*.
minor 2:54, 57.
missouriensis 2:55, 59.
peranulata 2:55.
praecursor n. sp. 3:29, *4:54*.
quadrilimba 2:57.
rockfordensis 2:54, 62.
sagamonensis 2:54, *61*, *64*.
scabra 2:54, Pl. 3.
scitula 2:54, 62.
serraticaudata n. sp. *4:52*.
shumardi 2:54, 58, *69*, *see* Proetus missouriensis *3:29*, *see* P. auriculatus *4:54*.
stevensoni 2:55.
swallovi 2:54, 58, *68*, 70.
tenneseensis 2:55.
trinucleata 2:54, Pl. 3, n. sp. 2:64.
truncatula *2:53*.
vindobonensis 2:63.
diagnosis of genus 4:51.
Philodina megalotrocha 6:58.
negalotrocha, *see* megalotrocha.
roseola 6:58.
Phleum pratense 7:95.
Phlogopite 1:T12.
Phlox divaricata 7:60.
maculata 7:60.
paniculata 7:60.
reptans 7:60.
subulata 7:60.
Phoenix dactylifera, Germination of 5:8.
Pholadella newberryi *3:85*.
Phryma leptostachya 1:31, 7:67.
Phyllopoda, Metamorphosis of 1:16.
Phylloporina angulata *2:151*.
Physcia aquila, var. detonsa 9–I:12.
hispida 9–I:13.
hypolenca 9–I:12.
leucomela 9–I:12.
speciosa 9–I:12.
stellaris 9–I:12.
tribacia 9–I:12.
Physical Laboratory, Notes from 5:16.
Physics, Department of, Denison University 10:84.
Physalis pubescens 7:63.
virginiana 7:63.
Physocarpus opulifolius 7:32.
Physostegia virginiana 7:70.
Phytolaccaceae 7:72.
Phytolacca decandra 7:72.
Picotite 1:T3.
Pigeon Grass 7:94.
Pignut 7:78.
Pig-weed 7:72.
Pilea pumila 7:77.
Pimpernel 7:65.
Pimpinella integerrima 7:41.
Pine 7:80.
Pinite 1:T3.
Pink, Deptford 7:20.
Pinnatopora curvata n. sp. *4:76*.
intermedia n. sp. *4:74*, Pl. 10.
minor n. sp. *4:77*.
simulatrix n. sp. *4:75*.
subangulata n. sp. *4:76*.
tenuiramosa 4:79.
vinei *4:77*.
whitii n. sp. 2–Pl. 7.
youngi *4:78*, (Pl. 14 not Pl. 4).
Pin Oak 7:79.
Pinus inops 7:80.
rigida 7:80.
Pipilo erythropthalmus 1:13.
Pipsissewa 7:57.
Pitch pine 7:80.
Placodium ferrugineum 9–I:13.
" var. discolor 9–I:13.
Placunopsis carbonaria *2:145*.
recticardinalis *2:43*.
Plagioclase 1:T17.
Plantaginaceae 7:71.
Plantago lanceolata 7:71.
major 7:71.
patagonica, var. aristata 7:71.
virginica 7:71.
Plantain 7:71.
English 7:71.
Great Indian 7:53.
Plantain-leaved Everlasting 7:49.
Plant distribution, Licking Co., O. 7:102.
Platanaceae 7:77.
Platanus occidentalis 7:77.
Platyceras bivolve 3:92.
haliotoides *3:91*.
hertzeri *3:91*.
lodiense *4:46*.
paralium *3:192*.
sp. *3:92* 4–Pl. 10.
vomerum 4–Pl. 7.
Platyostoma conrad 1:97.
niagarense 1:73, *79*.
Pleochroism 1:134.

Pleonast 1:T3.
Pleurisy-root 7:58.
Pleurodictyum problematicum *3:30, 3:132.*
Pleurophorus 2:35.
immaturus n. sp. ? *2:145.*
subcostatus *2:35.*
tropidophorus *2:35.*
Pleurosigma spenceri 3:115.
Pleurotomaria 1:96.
inexpectans 1:96.
newportensis *2:21.*
stella *4:116.*
strigillata n. sp. *3:86.*
stulta 4–Pl. 7, 4–Pl. 7.
sulcomarginata 4–Pl. 9.
textiligera, 4:46.
vadosa 4–Pl. 7.
Pleuroxus 1:37.
denticulatus 6:68, 8–I:5, II:24.
hamatus 6:68, 8–I:6, II:25.
procurous 1:37.
Ploesoma lenticulare gen. et. sp. n. 1:57.
Ploima 6:59.
Plum, Wild Yellow or Red, 7:32.
Poa annua 7:97.
compressa 7:97.
flexuosa 7:97.
pratensis 7:97.
serotina 7:97.
Pocket Gopher, Biological notes on 6:18.
habits of 6:20.
Podophyllum peltatum 7:15.
Pogonia ophioglossoides 7:82.
pendula 7:82.
Poison Hemlock 7:41.
Ivy 7:28.
Oak 7:28.
Sumach 7:28.
Poke 7:72.
Polk Milkweed 7:59.
Polarizing microscope, use of 1:131.
Polemoniaceae 7:60.
Polemonium reptans 7:60.
Polyarthraea 1:48.
Polyarthra platyptera 1:49, Pl. 4.
Polygalaceae 7:28.
Polygala sanguinea 8–II:4.
verticillata 7:28.
Polygonaceae 7:72.
Polygonum acre 7:73.
amphibium 7:73.
arifolium 7:74.
aviculare 7:72.
biflorum 7:85.
careyi 7:73.
convolvulus 7:74.
dumetorum, var. scandens 7:74.
erectum 7:73.
giganteum 7:85.
hartwrightii 7:73.
hydropiper 7:73.
hydropiperoides 7:73.
lapathifolium 7:73.
" var. incarnatum 7:73.
muhlenbergii 7:73.
orientale 7:73.
pennsylvanicum 7:73.
persicaria 7:73.
sagittatum 7:74.
virginianum 7:74.
Polymnia canadensis 7:49.
Polyphemopsis inornata *2:20.*
melanoides 2:20.
Polypodium vulgare 7:99.
Polypora fastuosa *2:82.*
gracilis 4:73.
impressa n. sp. *4:72.*
radialis 4:74.
Pond Lily, Yellow 7:15.
Pons of Arctomys, nucleus of 5:63.
Pontederiaceae 7:87.
Pontederia cordata 7:87.
Poplar, White 7:79.
Poppy 7:16.
Populus alba 7:79.
balsamifera, var. candicans 7:80.
grandidentata 7:80.
monilifera 7:80.
tremuloides 7:80.
Porcupine, Biological notes on 6:23.
habits of 6:24.
Porphyry at Dog River 2:127.
Portulaca oleracae 7:22.
Portulacaceae 7:22.
Posidonomya fracta 2:43.
fragilis n. sp. *3:59.*
Potamogeton natans 7:90.
pectinatus 7:90.
Potassium, crystal system of 1:129.
detection of in rocks 1:130.
Fluo-silicate of 1:129.
Potato-vine, Wild 7:62.
Potentilla argentea 7:34.
canadensis 7:34.
" var. simplex 7:34.
norvegica 7:34.
palustris 7:34.
Pot holes 9–I:16.
Pouched Rat, Biological notes on 6:18.
Praecommissura of opossum 6:82.
Prairie Willow 7:79.

Prasopora parmula n. sp. *2:170.*
Prenanthes altissima 7:54.
crepidinea 8–II:4.
Preglacial drainage in Big Sandy Valley 9–II:26.
in California Valley, O. 9–II:27.
features of Southern Ohio 9–II:27.
in Flat Woods Valley 9–II:29.
in Kinniconick 9–II:29.
in Tygart's Creek 9–II:29.
of Muskingum 8–II:47, 11:59.
of Ohio 9–I:15, 25.
of Ohio, Cont. to knowledge of 8–II:35.
of Symmes Creek 9–II:28.
of Salt Creek 9–II:28.
of Tuscarawas 8–II:47.
and recent Drainage Channels in Ross Co., O. 9–I:15, 25.
evidence of a buried channel in N. W. Ohio 8–II:56.
Muskingum, course of 8–II:41.
drainage relation of to the state 8–II:51.
Preglacial tributary to Paint Creek and its relations to the Beech Flats of Pike Co., O. 9–I:25.
valley in Fairfield Co., O. 9–II:33.
valley of Licking River 8–II:44.
Prickly Ash 7:25.
Lettuce 7:54.
Primulaceae 7:57.
Prince's Feather 7:73.
Pine 7:57.
Prismopora sereata *2:75.*
Prosencephalon 5:81.
Procyon lotor, effect of electrical stimulation on brain of 5:38.
Productus aequicostatus, *see* P. cora
arcuatus *3:31.*
calhounianus, see P. cora
concentricus *3:33.*
cora *2:47.*
costatus 2:49.
duplicostatus *4:21.*
flemingi, var. burlingtonensis *3:32.*
flemmgii, *see* P. cora.
gracilis *3:34.*
konnickeanus, *see* P. cora.
lachrymosus, var. stigmarius *3:34.*
laevicostus, *see* P. cora.
longispinus 2:15, *48.*
muricatus 2:15, 49.
nebra scensis 2:15, *49, 3:31.*
newberryi *4:20.*
newberryi, var. annosus. var. n. *4:20.*
nodocostatus n. sp. 4:23, Pl. 3.
parvus 4–Pl. 11.
pratteniansus, *see* P. cora.
punctatus *2:48.*
raricostatus n. sp. *4:19.*
rushvillensis n. sp. *4:22.*
semireticulatus 3:31, *see* P. cora.
(Productella) shumardianus *3:32.*
shumardiana, *see* P. concentricus *3:33.*
subaculeatus, *see* P. shumardianus *3:32.*
sp. 2–Pl. 2.
(Productella) speciosus 3:34
key to genus 4:15.
Proetidae 2:52.
Proetus 2:53.
auriculatus, *see* Phillipsia auriculatus *4:54.*
determinatus n. sp. *2:91.*
ellipticus 2:53.
haldermani (?) *4:55.*
laevis 2:53.
minutus n. sp. *4:56.*
missouriensis, *see* Phillipsia shumardi 3:29.
missouriensis, *see* Philipsia auriculatus 4:54.
praecursos, *see* Phillipsia praecursos *4:54.*
sp. *2:92.*
diagnosis of genus 4:51.
Projection, electrical couple for 5:20.
Promacra truncatus n. sp. *3:60.*
Prosencephalon of Erethizon 6:28.
of Geomys 6:31.
Protobasite 1:T10.
Prothyris 2:32.
(cf. elegans) *2:32.*
meeki 3:66 Pl. 8.
Protoschizodus, *see* Schizodus.
Protozoa of Flint Ridge, O. 2:50.
Prunus americana 7:32.
serotina 7:32.
virginiana 7:32.
Pseudocol A. 9–II:31.
Pseudomonotus radialis *2:145.*
Psoralea onobrychis 7:29, 8–II:4.

Ptelea trifoliata *1:29*, 7:25.
Pterinea 1:91.
brisa *1:91, 2:104.*
Pterinopecten ashlandensis n. sp. *4:33.*
cariniferus n. sp. *3:58, 4:33.*
laetus *4:114.*
Pteris aquilina 7:99.
Ptero-carya caucasia *1:30.*
Pterodina 1:59.
clypeata 1:60.
complanata 1:60.
elliptica 1:60.
patina *1:59*, 6:63.
Pteronites obliquus n. sp. *3:58.*
Ptilodictya bipunctata, *see* Phaenopora platyphylla 2:157.
platyphylla, *see* Phaenopora platyphylla 2:157.
carbonaria, *see* Cystodictya carbonaria
expansa *2:155.*
fimbriata, *see* Phaenopora fimbriata 2:161.
sereata, *see* Prismopora sereata *2:75.*
sp., *see* Phaenorpora multifida 2:160.
Ptilopora paupera 4:74.
Pumatopora whitii n. sp. 2:87.
Purinton, D. B. 10:5, 70.
Purslane 7:22.
Speedwell 7:65.
Putty-root 7:81.
Pycnanthemum incanum 7:68.
lanceolatum 7:68.
linifolium 7:68.
muticum 7:68.
Pyrenula nitida 9-I:14.
Pyrite 1:T1.
Pyrola elliptica 7:57.
rotundifolia 7:57.
Pyrope 1:T2.
Pyrrhotite 1:T1.
Pyrus angustifolia 7:35.
arbutifolia 7:35.
" var. melanocarpa 7:35.
coronaria 7:35.
malus 5:10, 7:35.

Q

Quarries, Allen's 1:74.
Carrollton Pike 1:70.
Centreville 1:74.
Dayton 1:73.
Eaton Pike 1:66, 70.
Fair Haven 1:75.
Fauver's 1:75.
Huffman's 1:73.
Newark *6:13.*
Soldiers' Home, Dayton, O. 1:66, 70.
Stolz's 1:67.
Swartzbaugh's 1:68.
Quartz, 1:T6
Queen-of-the-Prairie 7:32.
Quercus alba 7:78.
bicolor 7:78.
coccinea 7:78, 8-II:5.
" var. tinctora 7:78.
imbricata 8-II:5.
macrocarpa 7:78.
palustris 7:79.
primus 7:78.
rubra 7:78.

R

Rabbit, Cerebellum of 5:45.
Streda's work on the brain of 5:41.
Rat, Streda's work on the brain of 5:41.
Raccoon, electrical stimulation of central nervous system of 5:38.
Raccoon Creek, description of 8-II:36.
Radix pedis lateralis of opossum 6:79.
" mesalis of opossum 6:79.
Ragweed 7:50.
Rainfall of Licking Co., O. 7:6.
Ralston's river 9:20.
Ramalina calicaris, var. fastigiata 9-I:12.
Ranunculaceae 7:11.
Ranunculus abortivus 7:12.
acris 7:13.
ambigens 7:12.
aquatilis, var. trichophyllus 7:12.
circinatus 7:12.
pennsylvanicus 7:13.
recurvatus 7:13.
sceleratus 7:12.
septentrionalis 7:13.
Raphanus sativus 7:19.
Raphistoma 1:95.
affinis n. sp. *1:95.*
Rapids Forge 9-I:17.
Raspberry, Black 7:32.
Wild Red 7:32.
Rat. cerebellum of 5:45.
Rattlesnake Creek 9-I:16.
Fork 9-I:16.

–weed 7:54.
–grass 7:97.
Rattulus tigris 6:60.
Red Ash 7:58.
Redbud 7:31.
Red Cedar 7:80.
Clover 7:28.
Maple 7:27.
Mulberry 7:76.
Oak 7:78.
Redtop 7:95.
Tall 7:96.
Reed's Hill, O., Clinton Group of 3:10.
Resedaceae 7:19.
Reseda luteola 7:19.
Retepora angulata 1:*72*, *see* Phylloporina angulata.
Rhabdomesontidae 2:71.
Rhamnaceae 7:26.
Rhamnus lanceolata 7:26.
Rhinalis of Erethizon 6:28.
" Geomys 6:31.
Rhinencephalon of Erethizon 6:27.
of Geomys 6:31.
of opossum 6:76.
Rhinopora frondosa, *see* R. verrucosa 2:166.
venosa, *see* R. verrucosa 2:166.
verrucosa *2:166.*
Rhizota 6:58.
Rhombopora 2:71.
confluens *4:91.*
incrassata *4:89.*
lepidodendroidea 2:73.
multipora n. sp. 2:*72*, 87.
ohioensis n. sp. *4:90.*
sp. *2:74.*
Rhus copallina 7:28.
glabra 7:28.
toxicodendron 7:28.
venenata 7:28.
Rhynchonella 1:90.
contracta *3:39*, *4:23.*
marshallensis 3:40, 4:23.
neglecta 1:78.
sageriana 3:39, Pl. 2.
sappho *3:40.*
scobina 1:76, 78, 90.
sp. 3–Pl. 7, *4:23.*
subcuneata *3:39.*
Key to genus 4:16.
Rhynchospira ashlendensis n. sp. *4:25.*
Rhynchospora alba 7:91.
glomerata 7:91.
Ribes cynosbati 7:37.
floridum 7:37.
Ribgrass 7:71.
Richards, G. R. Lithological notes on contact phenomena in S. C. 4:5.
Richweed 7:68, 77.
Rinodina sophodes, var. exigua 9–I:13.
Ripidolite 1:T12.
Robinia pseudacacia 1:30, 7:29.
Rock sections, mounting 1:125.
preparation of 1:121.
Rocks of Michipicoten Bay 2:125.
Rocky Fork 9–I:15, 16, 17.
Creek, description of 8–II:43.
Rodent brain, General description of 5:40.
Studies in topography of 6:26.
Rodents, Central nervous system of 5:35.
Comparison of brain with marsupials 5:40.
Rosaceae 7:32.
Rosa canina 7:35.
carolina 7:34.
humulis 7:34.
rubiginosa 7:35.
setigera 7:34.
Rose, Climbing 7:34.
Ross Co., O., Preglacial and recent drainage channels in 9–I:15, 25.
Rotala ramosior 7:38.
Rotifer vulgaris 6:58.
Rotifera, Cladocera Copepoda Ostracoda of Cincinnati, Ohio, Notes on 6:57.
Rotifers of America 1:43, 62.
Notes on American *1:43.*
Rubellane 1:T12.
Rubiaceae 7:45.
Rubus 1:30.
canadensis 7:33.
occidentalis 7:32.
strigosus 7:32.
villosus 7:33.
Rudbeckia fulgida 7:50.
hirta 7:50.
laciniata 7:50.
Rue Anemone 7:12.
Ruellia ciliosa 1:31, 7:67.
strepens 7:67.
Rumex acetosella 7:72.
altissimus 7:72.
britannica 7:72.
crispus 7:72.
obtusifolius 7:72.
verticillatus 7:72.
Rushville, O., Section at 3:22.
Geological section 4:102.

Rush Creek, description of 9–II: 33–35.

Sabbatia angularis 7:59.
Sagenite 1:T4.
Sagittaria variabilis 7:89.
variabilis var. angustifolia 7:89.
" " gracilis 7:89.
" " latifolia 7:89.
" " obtusa 7:89.
heterophylla, var. angustifolia 7:89.
" " rigida 7:89.
St. John's-wort 7:23.
Salicaceae 7:79.
Salite 1:T14.
Salix alba, var. vitellina 7:79.
cordata 7:79.
discolor 5:10, 7:79.
fragilis 7:79.
humilis 7:79.
longifolia 7:79.
nigra 7:79.
purpurea 7:79.
sp. 5:10.
Salpina 1:52.
affinis n. sp. *1:52.*
brevispina 6:60.
mucronata 1:52, 6:60.
Salt Creek, Preglacial drainage in 9–II:28.
Sambucus canadensis 1:30, 7:43.
Samolus valerandi, var. americanus 7:57.
Sandstone 9–I:20.
Waverly 9–I:21.
Sandwort, Thyme-leaved 7:21.
Sanguinaria canadensis 7:16.
Sanguinolites aeolus *3:70.*
amygdalinus 3:69.
contractus *3:69.*
flavius *3:69.*
marshallensis *3:67.*
michiganensis *3:70.*
naiadiformis *3:71.*
nobilis, *see* Allorisma nobilis 3:71.
obliquus 3:70.
rigida, *see* S. transversus 3:68.
senilis n. sp. 3:66.
transversus 3:68.
unioniformis *3:67.*
Sanicula marylandica 7:42.
" var. canadensis 7:42.
Sanidine 1:T13.
Santalaceae 7:75.
Sapindaceae 7:27.
Saponaria officinalis 7:21.
Sarsaparilla 7:42.
Sassafras officinalis 7:74.
Sault Ste. Marie 1:5.
Saxifragaceae 7:36.
Saxifraga pennsylvanica 7:36.
virginiensis 7:36.
Saxifrage, Swamp 7:36.
Scale divider 5:20.
Scapholeberis mucronata 6:67, 8–I:3.
Scapolite 1:T5.
Scaridium longicaudum 6:60.
Scarlet Oak 7:78.
Scenedesmus polymorphus 2:115.
quadricauda 2:115.
Scheuchzeria palustris 8–II:5.
Schist, Chloritic 2:126.
near Pacolet Mills S. C. 4:8.
Schizodus affinis sp. (?) n. *2:41.*
amplus 2:41, 43.
chemungensis, var. aequalis *3:64.*
cuneatus 2:41, *42.*
cuneus *3:65.*
curtis 2:41, *42,* 2:145.
harlamensis n. sp. *4:117.*
medinaensis *3:65.*
newarkensis n. sp. *3:64, 4:36.*
occidentalis 2:41.
palaeoneiliformis n. sp. *3:96,* 4–Pl. 6.
perelegans 2:41.
prolongatus n. sp. *4:36.*
quadrangularis 4–Pl. 6.
(?) spellmani n. sp. *2:42.*
subcircularis n. sp. *2:41, 2:145.*
triangularis *4:116.*
wheeleri *2:42.*
Scientific publications 10:41.
terms, Pronunciation of, Latin and Greek 4:161.
Scioto Basin, abnormal drainage in 9–II:20.
River 9–I:15.
character of its upper and lower portion 8–II:53.
Valley, relation to Ohio Valley 9–II:25.
Sciotoville, O., geological section near 4:102.
Scirpus atrovirens 7:91.
Rutaceae 7:25.
Rutile 1:T4.

S

Santalaceae 7:75.
Sapindaceae 7:27.
Saponaria officinalis 7:21.
Sarsaparilla 7:42.
Sassafras officinalis 7:74.
Sault Ste. Marie 1:5.
Saxifragaceae 7:36.
Saxifraga pennsylvanica 7:36.
virginiensis 7:36.
Saxifrage, Swamp 7:36.
Scale divider 5:20.
Scapholeberis mucronata 6:67, 8–I:3.
Scapolite 1:T5.
Scaridium longicaudum 6:60.
Scarlet Oak 7:78.
Scenedesmus polymorphus 2:115.
quadricauda 2:115.
Scheuchzeria palustris 8–II:5.
Schist, Chloritic 2:126.
near Pacolet Mills S. C. 4:8.
Schizodus affinis sp. (?) n. *2:41.*
amplus 2:41, 43.
chemungensis, var. aequalis *3:64.*
cuneatus 2:41, *42.*
cuneus *3:65.*
curtis 2:41, *42,* 2:145.
harlamensis n. sp. *4:117.*
medinaensis *3:65.*
newarkensis n. sp. *3:64, 4:36.*
occidentalis 2:41.
palaeoneiliformis n. sp. *3:96,* 4–Pl. 6.
perelegans 2:41.
prolongatus n. sp. *4:36.*
quadrangularis 4–Pl. 6.
(?) spellmani n. sp. *2:42.*
subcircularis n. sp. *2:41, 2:145.*
triangularis *4:116.*
wheeleri *2:42.*
Scientific publications 10:41.
terms, Pronunciation of, Latin and Greek 4:161.
Scioto Basin, abnormal drainage in 9–II:20.
River 9–I:15.
character of its upper and lower portion 8–II:53.
Valley, relation to Ohio Valley 9–II:25.
Sciotoville, O., geological section near 4:102.
Scirpus atrovirens 7:91.

fluviatilis 7:91.
lacustris 7:91.
polyphyllus 7:91.
pungens 7:91.
Scouring-rush 7:99.
Scrophulariaceae 7:63.
Scrophularia nodosa 1:31.
" var. marylandica 7:64.
Scrub Pine 7:80.
Scutellaria canescens 7:69.
galericulata 7:70.
lateriflora 7:69.
nervosa 7:70.
pilosa 7:70.
saxatilis 7:69.
versicolor 7:69.
Sections of rocks 1:121.
grinding of in Lithology 1:125.
mounting of in " 1:125.
Sedum ternatum 7:37.
Seed-box 7:38.
Self-heal 7:70.
Senecio aureus 7:53.
" var. balsamitae 7:53.
" " obovatus 7:53.
lobatus 7:53.
Sensitive-fern 7:101.
-plant 7:31.
Senna, Wild 7:31.
Septopora biserialis 2:87.
" var. gracilis *2:80.*
Sericite 1:T12.
Seriocarpus conyzoides 7:47.
Serpentine 1:T19.
Service-berry 7:36.
Setaris glauca 7:94.
verticellata 7:94.
viridis 7:94.
Seymeria macrophylla 7:65.
Shad-bush 7:36.
Shale, Bedford 4:108.
exposure of at Cent. Col. O. 5:25.
Berea 4:107.
exposure at Moot's Run, O. 5:26.
Cleveland 4:110.
Cuyahoga in Ohio 4:103, 5:30.
Erie, fossils of 4:110.
Waverly, exposure of at Newark, O. 5:26.
Waverly of Ohio 4:107.
Sheep-berry 7:44.
Sheep Sorrel 7:72.
Shell-bark 7:78.
Shepardson, Geo. 10:40.
Shepherd's-purse 7:19.
Shin-leaf 7:57.
Showy Orchid 7:82.
Schults' Mt., O. 9-I:30.
Sickle-pod 7:17.
Sicyos angulatus 7:39.
Sida crystallina 6:66.
Siderite 1:T7.
Silene antirrhina 7:21.
armeria 7:21.
stellata 7:21, 8-II:3.
virginica 7:21.
Sillimanite 1:T9.
Silphium perfoliatum 7:50.
trifoliatum 7:50.
Silurian, exposures at Dayton, O. 1:66.
Simocephalus americanus, *see* serrulatus.
serrulatus 8-II:23.
vetulus 6:67, 8-I:4.
Sinking Springs, O. 9-I:30.
Sisymbrium officinale 1:31, 5:10, 7:18.
Sisyrinchium angustifolium 7:83.
cicutaefolium 7:41.
Skull, of Erethizon 6:27.
Slate, Chloritic 2:125.
Slippery Elm 7:76.
Smaragdite 1:T15.
Smartweed 7:73.
Smilacina racemosa 7:85.
Smilax bona-nox 7:84.
ecirrhata 7:84.
glauca 7:84.
herbacea 7:84.
hispida 7:84.
rotundifolia, var. quadrangularis 7:84.
Snake-root 7:46.
Sneeze-weed 7:52.
Soapstone, near Pacolet Mills, S. C. 4:8.
Soapwort 7:21.
Sodalite 1:T2.
Sodium, crystal system of 1:129.
detection of in rocks 1:130.
fluor-silicate of 1:129.
Soft-rush 7:87.
Solanaceae 1:29, 34, 7:63.
Solanum dulcamara 7:63.
nigrum 7:63.
Soldiers' Home Quarries 1:66.
Solea concolor 7:20.
Solen (?) sp. (?) *2:38.*
Soleniscus, *see* Macrocheilus.
fusiformis *2:147.*
medialis *2:147.*
planus *2:147.*
Solenomya 2:29.

(?) anodontoides *2:29.*
(?) cuyahogensis n. sp. *4:115.*
(?) meekiana n. sp. *2:30.*
radiata 2:30.
subradiata n. sp. *2:30.*
Solidago bicolor 7:47.
" var. concolor 7:47.
caesia 7:47.
canadensis 7:47.
lanceolata 7:47.
latifolia 7:47.
nemoralis 7:47.
serotina 7:47.
" var. gigantea 7:47.
patula 7:47.
rugosa 7:47.
uliginosa 7:47, 8–II:4.
Solomon's–seal 7:85.
Sonchus asper 7:55.
oleraceus 7:55.
South Carolina, Lithological notes on contact phenomena in 4:5.
South Fork Licking River, description of 8–II:37.
Spanish Needles 7:52.
Sparganium curycarpum 7:88.
simplex, var. androcladum 7:88.
Spathella ventricosa *4:31.*
Spearmint 7:68.
Spearwort 7:12.
Specular iron 1:T8.
Specularia perfoliata 7:55.
Speedwell 7:65.
Sphaerozosma filiforme 2:116.
Sphærexochus mirus *3:121.*
Sphenotus, *see* Sanguinolites *3:69.*
contractus *3:69,* 4:31.
flavius *3:69.*
transversus *3:69.*
Spice–bush 7:74.
Spiderwort 7:87.
Spikenard 7:42.
False 7:85.
Spinel 1:T3.
Spirea aruncus 7:32.
lobata 7:32.
salicifolia 7:32.
Spiranthes gracilis 7:87.
Spirifer biplicatus 3:45, *4:25.*
camerata *2:45.*
capox, *see* Syringothyris cuspidatus *3:41.*
carteri 2:12, *see* Syringothyris cuspidatus.
cuspidatus, *see* Syringothyris cuspidatus *3:41.*
deltoideus n. sp. *4:27.*
disjunctus 4–Pl. 3.
glaber 4–Pl. 11.
hannibalensis, *see* Syringothyris cuspidatus *3:41.*
(?) hirtus *3:47,* 4–Pl. 10.
increbescens 4–Pl. 11.
keokuk 4:114.
marionensis *3:43,* 4:26.
sp. *3:46.*
striata (?) 2–Pl. 2.
striatiformis *3:44,* 4–Pl. 2.
tenuspinatus n. sp. *4:27.*
textus, *see* Syringothyris cuspidatus *3:41.*
winchelli n. sp. *3:46.*
Spirifera camerata *2:45.*
lineata *2:46.*
opima *2:44.*
planoconvexa *2:46.*
sp. (?) *2:46.*
urii 2:46.
Spiriferina depressa n. sp. *3:47.*
octoplicata 3–Pl. 7.
solidirostris *3:47.*
Spirifers of the L. marionensis group 3:42.
Spirodela polyrrhiza 7:89.
Spirometer, A simple *5:14.*
Spirophyton 2:11.
Spirogyra adnata 4:132.
dubia 4:132.
fluviatilis 4:132.
herricki n. sp. 4:132.
insignis 2:115.
weberi 2:115.
Spirostomum teres 1–Pl. 10.
Splenialis of opossum 6:76.
Spring Beauty 7:22.
Cress 7:17.
Squamella 1:54.
bractea 1:54, Pl. 4.
Squaw–root 7:66.
Squirrel–corn 7:16.
Stachys aspera 7:71.
" var. glabra 7:71.
cordata 7:71.
palustris 7:70.
Staphylea trifolia 7:28.
Star–of–Bethlehem 7:84.
Starry Campion 7:21.
Star–grass 7:83.
Staurastrum anatinum 2:116.
inconspicuum 2:116.
polymorphum 2:116.
pseudopachyrhynchum 2:116.
Staurolite 1:T9.
Steatite, near Pacolet Mills, S. C. 4:9.
Steironema ciliatum 7:57.

Stellaria longifolia 7:22.
media 5:10, 7:22.
pubera 7:22.
Stenanthium robustum 7:86.
Stenopora carbonaria *2:85.*
ohioensis n. sp. *2:85.*
sp. undet. 4:92.
Stephanops 1:54.
cirratus 1:55.
lamelleris 1:55.
longispinatus 1:55.
muticus *1:54.*
ovalis 1:55.
tridentatus 1:55.
Stevenson, Prof. J. J. 9–I:6, 10:62, 70.
Science as an educational factor 10:71–82.
Sticta amplissima 9–I:13.
pulmonaria 9–I:13.
Stictopora bifurcata, *see* Pachydictaya bifurcata 2:163.
compressa, *see* Phaenopora magna 2:159.
magna, *see* Phaenopora magna 2:159.
striata *3:95.*
van clevii, *see* Phaenopora fimbricata 2:161.
Stieda, Citation on Rodent Brains 6:31.
Stilbite 1:T19.
Sitchwort 7:22.
Stonecrop 7:37.
Stonewort 7:68.
Storksbill 7:25.
Strawberry 7:33.
Streblotrypa amplexa n. sp. *4:86.*
denticulata n. sp. *4:88.*
gracilis n. sp. *3:57.*
hertzeri n. sp. *4:85.*
major *4:84.*
media n. sp. *3:56.*
multiporata n. sp. *4:87.*
obliqua n. sp. *4:85.*
regularis n. sp. *4:88.*
squama n. sp. *3:57.*
striata n. sp. *4:87.*
Streblopteria sp. 4–Pl. 5.
tenuilineata 2:28.
Streptorynchus tenuis *2:105.*
Striatum of Geomys and Erethizon 6:39.
Stricklandinia (?) subquadrata n. sp. *2:49.*
Strombodes pygamæus *3:120.*
Strong, O. S. 10:17, 54.
Strophomena 1:79.
englypha, *see* S. patenta 2:105.
patenta 1:79, *2:105.*
rhomboidalis 1:79, 4–Pl. 9.
Strophostyles angulosa 7:31.
Strophostylus 1:96.
cyclostomus *1:96.*
Sub–carboniferous of Lick. Co., O. 3:13.
Sugar–berry 7:70.
Sugar Grove, O., drainage near 9–II:33.
Sugar Maple 7:27.
Sumach 7:28.
Summer Grape 7:27.
Sundew 7:37.
Sundrop 7:39.
Sunflower 7:50.
Superposition of leaf buds 1:29.
Swamp Dock 7:72.
Oak 7:79.
Thistle 7:53.
Sweetbriar 7:35.
Sweet Cicely 7:42.
Clover 7:29.
Flag 7:88.
William 7:21.
" wild 7:60.
Viburnum 7:44.
Sycamore 7:77.
Symmes Creek, Abandoned drainage near 9–II:20.
Preglacial drainage of 9–II:28.
Symphoricarpus vulgaris 7:44.
Symplocarpus foetidus 5:10, 7:88.
Synocladia biserialis, *see* Septopora biserialis, var. gracilis *2:80.*
Syringotheris cuspidatus *3:41.*
typa, *see* S. cuspidatus.

T

Taeniodictya interpolata n. sp. *4:80.*
Talc 1:T12.
Tamarack 7:80.
Tanacetum vulgare 7:52.
" var. crispum 7:52.
Tansy 7:52.
Taraxacum officinale 5:10, 7:54.
Tear–thumb 7:74.
Teases Valley, Rock floor of 9–II:19.
Teasel 7:46.
Tecoma radicans 7:66.
Temperature of Lick. Co., O. 7:6.
Tephrosia virginiana 7:29.
Terebratula 3:48.
inconstans n. sp. *4:24.*
Tertiary Ohio River 8–II:61.

Teucrium canadense 1:31, 7:67.
Thalami of Erethizon 6:29.
Thalamus of Didelphys 5:77.
Thalictrum dioicum 1:28, 7:12.
polygamum 7:12.
purpurascens 7:12.
Thaspium aureum 7:40, 8–II:4.
" var. trifoliatum 7:40, 8–II:4.
barbinode 7:40.
Theloschistes concolor 9–I:12.
Thelypodium pinnatifidum 7:18.
Thimbleberry 7:32.
Thistle, Canada 7:54.
Common 7:53.
Thoulet's Method 1:123.
Thresher, Albert 10:62, 70.
Thrush, Brown 1:13.
Thymelaeaceae 7:75.
Tiedmannia rigida 7:40.
Tight, W. G. 10:19, 32, 39, 40, 41, Biog. 32.
A convenient injecting apparatus *5:11.*
A specimen of Hesperophona vespertina 5:22.
A simple spirometer 5:14.
see Herrick, C. L. 5:35.
Contribution to a knowledge of preglacial drainage of Ohio 8–II:35.
Drainage features of southern Ohio 9–II:22.
(et. al.) Geology and Lithology of Michipicoten Bay, 2:119.
Lantern slides without a negative 8–I:49.
Note on a peculiar habit of fresh water hydra 4:131.
Notes from Botanical Laboratory 8–II:7.
Preglacial tributary to Paint Creek 9–I:25.
Preglacial valley in Fairfield Co., O. 9–II:33.
Some observations on the crushing effects of glacial ice sheet 6:12
Tiliaceæ 7:24.
Tilia americana 7:24.
Till, glacial 9–I:132.
Timothy 7:95.
Titanic iron 1:T1.
Titanite 1:T12.
Toad Flax 7:64.
Toboso, O., Gorge of Licking River 8–II:38.
Todd's Fork, Clinton exposure at 3:11.
Toothwort 7:17.
Toothache Tree 7:25.
Topography and present drainage of Lick. Co., O. 8–II:36.
Touch–me–not 7:25.
Tourmaline 1:T8.
Tower Mustard 7:17.
Tradescantia virginica 7:87.
Trap 9–I:28.
Tree–of–heaven 7:26.
Trefoil 7:25.
Tremolite 1:T15.
Tridymite 1:T6.
Trifolium 1:34.
hybridum 7:29.
pratense 7:28.
procumbens 7:29.
repens 7:29.
stolopiferum 7:28.
Trigeminis of Arctomys, Bladder cells of 5:61.
motor nuclei of 5:62.
Trillium cernuum 7:86.
erectum 7:86.
grandiflorum 7:86.
sessile 7:86.
Trilobite, A Waverly 2:69.
Triodea cupea 7:96.
Triosteum perfoliatum 7:44.
Triplesia 1:89.
ortoni 1:89.
(?) triplesiana n. sp. *1:89.*
Trochonema 1:94.
nana n. sp. *1:94.*
Trumpet–creeper 7:66.
Honeysuckle 7:44.
–weed 7:46.
Tsuga canadensis 7:80.
Tulip–tree 7:14.
Tumbleweed 7:72.
Tupelo 7:43.
Turkey creek, O., Description of 9–II:34.
Turk's–cap–lily 7:86.
Turner, C. H. Notes on Cladocera Copepoda, Ostracoda and Rotifera of Cincinnati, O. 6:57.
Additional notes on same 8–I:3.
Notes on American ostracoda 8–II:13.
Twin–leaf 7:15.
Twinning phenomena 1:133.
Tygart's creek, preglacial drainage in 9–II:29.
Typhaceae 7:88.
Typha latifolia 7:88.

U

Ulmus americana 5:10, 7:76.
fulva 1:35, 7:76.
racemosa 7:75.
Ulrich, E. O. Bryozoa of the Waverly Group of Ohio with descriptions of new species 4:63.
Umbelliferae 7:40.
Uralite 1:T16.
Urticaceae 7:76.
Urtica canadensis 7:77.
gracilis 7:77.
Usnea barbata, var. florida 9-I:12.
Utricularia minor 7:66.
Uvularia grandiflora 7:85.
perfoliata 7:85.

V

Vaccinium corymbosum 7:56.
macrocarpon 7:56.
stamineum 7:56.
vacillans 7:56.
Valerianaceae 7:46.
Valerianella chenopodifolia 7:46.
radiata 7:46.
Vallisneria spiralis 7:80.
Velvet-leaf 7:24.
Ventricles of brain of Geomys and Erethizon 6:36.
Venus's Looking-glass 7:55.
Verbascum blattaria 7:63.
thapsus 7:63.
Verbenaceae 7:67.
Verbena hastata 7:67.
stricta 1:31.
urticaefolia 1:31, 7:67.
Vernonica altissima 7:46.
Veronica americana 7:65.
arvensis 7:65.
officinalis 7:65.
peregrina 7:65.
scutellata 7:65.
serpyllifolia 7:65.
virginica 7:65.
Verrucariacei 9-I:14.
rupestris 9-I:14.
Vervain, Blue 7:67.
White 7:67.
Viburnum acerifolium 7:44.
dentatum 7:44.
lentago 7:44.
prunifolium 7:44.
pubescens 7:44.
Vinca minor 5:10, 7:58.
Violaceae 7:19.
Viola blanda 7:20.
canadensis 7:20.
odorata 5:10.
palmata 7:19.
" var. cucullata 7:20.
pubescens 7:20.
" var. scabriuscula 7:20.
rostrata 7:20.
sagittata 7:20, 8-II:3.
striata 7:20.
tricolor 7:20.
Violet, Arrow-leaved 7:20.
Canada 7:20.
Dog's tooth 7:85.
Downy yellow 7:20.
Green 7:20.
Sweet White 7:20.
Virginia-creeper 7:27.
Snakeroot 7:74.
Virgin's Bower 7:11.
Viridite 1:T19.
Vitaceae 7:27.
Vitis aestivalis 7:27.
" var. bicolor 7:27.
cardifolia 7:27.
riparia 7:27.

W

Wahoo 7:26.
Waldsteinia fragarioides 7:33.
Wallastonite 1:T15.
Walnut, Black 7:77.
Walnut creek 9-I:24.
Water Beech 7:78.
Watercress 7:17.
Water-dock 7:72.
Lily 7:15.
Oats 7:94.
Purslane 7:38.
Wave distribution in parallel wires 9-II:10.
electrical, in long parallel wires 9-II:8.
Waverly fossils of Lick. Co., O. 4:11.
freestone 9-I:27.
generalized section in Lick. Co., O. 3:26.
group of Lick. Co. O. 3:13, 4:97.

" the 5:24.
" in Ohio, Bryozoa of 4:63.
rock, exposures in Lick. Co., O. 2:12.
sandstone 9–I:17.
sections at Cat Run, O. 3:25
" near Lyon Falls, O. 4:101.
" at Summit, O. 3:26.
shale, exposures near Newark, O. 5:26.
" of Ohio 4:107.
of Ohio, Tabulated list of fossils of 4:123.
additions and corrections to same 5:33.
Wax modeling from microscopic section 9–II:3.
–work 7:26.
Weeds of Lick. Co., O. 7:7.
Wells, W. E., Wax modeling 9–II:3
Wheelersburg, O., Abandoned channel near 9–II:18.
White Oak 7:78.
Snakeroot 7:46.
Whitlow Grass 7:18.
Wild Carrot 7:40.
Coffee 7:44.
Willow, Black 7:79.
Crack 7:79.
Glaucous 7:71.
Heart–leaved 7:79.
Purple 7:79.
Water 7:67.
Wind–flower 7:11.
Winterberry 7:26.
Winter Flower 5:10.
Wintergreen 7:56.
Witch–hazel 7:37.
Wolfia columbiana 4:132, 7:89. 8–II:5.
Wood Betony 7:66.
Woodsia ilvensis 7:101.
obtusa 7:101.
Wood Sorrel 7:25.
Wool–grass 7:91.
Wooster, O., Geological Section 5:28.

X

Xanthium canadense 7:50.
Xanthoxylum americanum 7:25.

Y

Yam–root 7:83.
Yarrow 7:52.
Yellow Rocket 7:18.

Z

Zaphrestis sp. 2–Pl. 2.
Zeolite 1:T19, 1:7.
Zircon 1:T4.
Zizania aquatica 7:94.
Zizia aurea 7:41.
Zoisite 1:T11.
Zoology, Department of, Denison University *10:88.*
Zygnema cruciatum 4:132.
stellatum genuinum 4:132.
Zygospira 1:90.
modesta 1:78, *90.*

3 2044 106 255 615